

INDEX TO VOLUME LXIII *

The Index for Volume 63 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Aeration effect
 - Fuligo 669
 - Helminthosporium 553
- Aflatoxin-producing strain of *Aspergillus parasiticus* 644
- Africa, marine fungi 831
- Alaska, fleshy fungi 370
- Alcohol dehydrogenase in Mucorales 906
- Aldrich, Henry C., and George Carroll. Synaptonemal complexes and meiosis in *Didymium iridis*: a reinvestigation 308
- Alexander, Martin. Microbial ecology; review 1243
- Alexopoulos, Constantine J. See Storck et al. 38
- , and T. E. Brooks. Taxonomic studies in the myxomycetes. III. Clastodermataceae: a new family of the Echinosteliales 925
- Algae
 - Asterionella 91
 - Coscinodiscus 171
 - Fragilaria 91
 - Melosira 92
- Allen, J. V., W. M. Hess, and D. J. Weber. Ultrastructural investigations of dormant *Tilletia caries* teliospores 144
- Alpha-ketoglutarate 290
- Amelung, R. M. See Fergus and Amelung 675
- , See Fergus and Amelung 1212
- Amino acids, effect
 - Achlya 1234
- Amino acids and growth factors in vitamin-free casamino acids 1231
- Anaerobic effect
 - Fusarium 471
- Anagnostakis, Sandra L. Cytoplasmic and nuclear control of an inter-strain interaction in *Ustilago maydis* 94
- Animal
 - Aedes 1233
 - Bankia 839
 - Bombyx 432
 - Colpoda 878
 - Crossotarsus 995, 1000
 - Dendroctonus 10, 12, 13
 - Dipterocarpus 998, 1000
 - Helix 1013
 - Hylecoetus 7
 - Ips 12
 - Lepus 442
 - Limnoria 848
 - Martesia 255
 - Nausitora 255, 838, 839, 854
 - Pityokteines 11
 - Sarcina 1233
- Annual review of phytopathology; review 439
- Aquatic fungi of Iceland: *Pythium* 517
- Argentina, Myxomycetes 634
- Arizona, *Albatrellus* 964
- Ascocarp development
 - Podosordaria 441
 - Thelebolus 118
- Ascomycetes 318, 1065
 - marine 833
 - sooty mold 1173
- Ascospore production
 - Piedraia 612
- Ascospores, longevity 1030

* Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909-1966. xvi + 1108 pages. Price: \$40.00. Available from: Stechert-Hafner Service Agency, 866 Third Ave., New York, N. Y. 10022.

- Ascus development
 Podosordaria 451
 Ascus structure
 Sordaria 204
 Aspergillus longivesica, a new species
 from Nigerian soil 50
 Auxotrophic mutants 704
 Ayres, J. C. See Childs et al. 181
 Barksdale, Lane. [Review of] Laboratory identification of pathogenic fungi 1238
 ———. [Review of] Medical mycology 1241
 ———. [Review of] Medical mycology manual 1240
 Barr, Margaret E. See Hodges and Barr 562
 Basidiocarp development in Polyporus adustus 69
 Basidiomycetes 323, 1066
 marine 845
 Basidiospores 745
 Basswood, Hygrophorus chrysodon 403
 Batra, Lekh R. Two new Hemiascomycetes: Pichia crossotarsi and P. microspora 994
 Batshon, Badi' A., Otto C. Brosius, and John C. Snyder. A case report of Nocardia asteroides of the eye 459
 Baxter, John W. Life cycle studies of two North American grass rusts 889
 Beneke, E. S. and A. L. Rogers. Medical mycology manual; review 1240
 Benjamin, Chester R. See Jong and Benjamin 862
 Bennett, Joan W. See Mayne et al. 644
 Berkeley, M. J.
 Merulius species 219
 Berkeley, M. J., and C. E. Broome
 Merulius species 219
 Berkeley, M. J., and M. A. Curtis
 Merulius species 219
 Berliner, Martha D. Induction of protoplasts of Schizosaccharomyces octosporus by magnesium sulfate and 2-deoxy-D-glucose 819
 ———, and Maria E. Reca. Studies on protoplast induction in the yeast phase of Histoplasma capsulatum by magnesium sulfate and 2-deoxy-D-glucose 1164
 Bestimmungsschlüssel Europäischer Flechten; review 438
 Binford, Chapman H. See Emmons et al. 1241
 Biographies
 Groves, James Walton 1
 Jørstad, Ivar 697
 Biology of Hyalopsora polypodii 277
 Bipolar heterothallism 722
 Bohnstedt, Charles F. See LeStourgeon et al. 1002
 Boletes of Michigan; review 1245
 Boletes. IV. The genus Leccinum 261
 Booth, C. (ed.). Methods in microbiology, Vol. 4; review 1247
 Boquiren, Daisy T. The genus Epithele 937
 Bourdot & Galzin
 Merulius species 800
 Brandsberg, John W., and Everett F. Morris. A new stilbellaceous fungus from Missouri soil 1076
 Braun, Karl Leo. Effect of aeration on the germination of Fuligo septica spores 669
 Brazil, Stomiopeltis 652
 Bresadola
 Merulius species 800
 British Fungus Flora. Agarics and boleti: 1. Boletaceae, Gomphidaceae, Paxillaceae; review 930
 Brodie, H. J. See Johri and Brodie 736
 ———. See Keller and Brooks 657
 Brooks, T. E. See Alexopoulos and Brooks 925
 Broome, C. E. See Berkeley and Broome 219
 Brosius, Otto C. See Batshon et al. 459
 Bryan, W. C. See Marx et al. 1222
 Bryant, Truman R. See Howard and Bryant 58
 Butler, E. E. [Review of] Outline of plant pathology 186
 California boletes IV. The genus Leccinum 261
 Campbell, W. A. See Hendrix et al. 283
 ———. See Hendrix and Campbell 978
 ———. See Marx et al. 1222
 Canfield, E. R., and R. L. Gilbertson. Notes on the genus Albatrellus in Arizona 964
 Cantrell, H. F., and W. M. Dowler. Effects of temperature and pH on growth and composition of Pythium irregulare and Pythium vexans 31
 Cappellini, R. A., and J. L. Peterson. pH, nutrients and macrospore germination in Gibberella zeae 641
 Carbohydrates, effect
 Achlya 1234
 Carbon effect
 Podosordaria 444
 Carbon sources, effect
 Achlya 1234

- Carroll, George. See Aldrich and Carroll 308
- Casamino acids 1231
- Case report of *Nocardia asteroides* of the eye 459
- Cased grain spawn of *Agaricus bisporus* 16
- Catenophytes 857
- Celerin, Emilia M., and C. L. Fergus. Effects of nutrients, temperature and relative humidity on germination and longevity of the ascospores of *Chaetomium thermophile* var *coprophile* 1030
- Centrum structure 857
- Cercospora uromycestri*, hyperparasite of rust on *Cestrum diurnum* 689
- Champignons d'Europe; review 931
- Chemical composition
 Pythium 31
- Chemistry
 Oidiendron 602
- Chemistry of some species of the lichen genus *Diploschistes* 422
- Chemotaxis in myxomycetes or true slime molds 901
- Chesapeake Bay fungi 237
- Chien, Chiu-Yuan. A new species of *Mortierella* from North Carolina 826
- . A new species of *Coemansia* 1046
- . *Linderina macrospora* from forest soil of the southeastern United States 410
- . See Hendrix et al. 283
- Childs, E. A., J. C. Ayres, and P. E. Koehler. Differentiation in *Aspergillus flavus* as influenced by L-canavanine 181
- Chlamydospore induction in pure culture in *Fusarium solani* 462
- Chlamydospores, *Phytophthora* 978
- Chromatographic spectra 737
- Chytrids, mycoparasitic 83
- Citrate 290
- Clathrus oahuensis*, a new species from Hawaii 893
- Clastodermataceae 925
- Cochrane, Jean Conn. See Cochrane and Cochrane 462
- Cochrane, Vincent W., and Jean Conn Cochrane. Chlamydospore induction in pure culture in *Fusarium solani* 462
- Coloured icones of rare and interesting fungi; review 439
- Combs, T. J., R. A. Murchelano, and F. Jurgen. Yeasts isolated from Long Island Sound 178
- Conidium
 longevity 640
 storage 640
- Cooke, Wm. Bridge. The 1967 foray in Texas 1063
- Coprophilous fungi
 Podosordaria 441
 Thelebolus 118
- Crane, J. L. See Shearer and Crane 237
- Culberson, Chicita F., and William Louis Culberson. The chemistry of some species of the lichen genus *Diploschistes* 422
- Culberson, William Louis. See Culberson and Culberson 422
- Cultivated mushroom 16, 630
- Culture
 Fusarium 462
 Podosordaria 441
- Curtis, M. A. See Berkeley and Curtis 219
- Cyathin 736
- Cynodontin 548
- Cytology
 Apodachlya 58
 Ceratiomyxa 413
 Coprinus 745
 Metarrhizium 701, 713
 Physarum 1002
 Podosordaria 441
 Ustilago 94
- Cytoplasmic and nuclear control of an interstrain interaction in *Ustilago maydis* 94
- Cytosine 42
- Cytosine content 45
- D-glucose 290
- Davidson, Ross W. New species of *Ceratocystis* 5
- De la cellule à l'organisme (Acrasiales, Myxomycetes, Myxobacterales); review 1092
- Demoulin, V. *Lycoperdon subpratense* C. G. Lloyd nomen rejiciendum 1226
- Dentinum* S. F. Gray or *Hydnum* L. ex Fries 1067
- Deoxyribonucleic acid, *Hymenochaetaceae* and *Polyporaceae* 38
- Deuteromycetes, marine 847
- Deuxieme congrès de l'union mycopathologique Méditerranéenne; review 437
- Dick, Esther A. See Snell and Dick 1245
- . See Snell and Dick 1249
- Dick, M. W. Oospore structure in *Aphanomyces* 686

- . [Review of] The genus *Saprolegnia* 188
- Dieback of Douglas fir and western hemlock 567
- Differentiation in *Aspergillus flavus* as influenced by L-canavanine 181
- DNA 42, 58
- Domsch, Klaus H., and Walter Gams. Pilze aus Agrarböden; review 694
- Douglas fir dieback 567
- Dowler, W. M. See Cantrell and Dowler 31
- Dring, D. M., J. Meeker, and R. Goos. *Clathrus oahuensis*, a new species from Hawaii 893
- Drug-resistant mutants 704
- Dumont, K. P., and Richard P. Korf. Sclerotiniaceae I. Generic nomenclature 157
- . See Rogers et al. 1084
- Echinosteliales 925, 927
- Ecology, marine fungi 831, 854
- Effect of aeration on the germination of *Fuligo septica* spores 669
- Effect of Endomycorrhizae formed by *Endogone mosseae* on growth of citrus 1222
- Effects of nutrients, temperature and relative humidity on germination and longevity of the ascospores of *Chaetomium thermophile* var *crophile* 1030
- Effects of temperature and pH on growth and composition of *Pythium irregulare* and *Pythium vexans* 31
- Electron microscopy 586
- Electronic particle counting of zoospores of *Aphanomyces euteiches* 169
- Elliot, Mary E., and Claude Richard. A new species of *Martininia* 648
- Embree, R. W. [Review of] *Mucorales*. Eine Beschreibung aller Gattungen und Arten dieser Pilzgruppe 1093
- Emmons, Chester W., Chapman H. Binford, and John P. Utz. Medical mycology; review 1241
- Endemosarca: a new genus with proteomyxid affinities 877
- Endomycorrhizae 1222
- Endophthalmitis 461
- Endotrophic vesicular-arbuscular mycorrhizae on soybean in Florida 672
- Entomogenous fungus 701
- Erdos, Gregory W., and Lindsay S. Olive. *Endemosarca*: a new genus with proteomyxid affinities 877
- Erratum 190, 1251
- Erwin, D. C., and W. H. McCormick. Germination of oospores produced by *Phytophthora megasperma* var *sojae* 972
- Essay on *Stereum* 790
- Evans, Zoe. See McVeigh and Evans 432
- Evolution, marine fungi 858
- Evidence of sexuality in the cultivated mushroom, *Agaricus bisporus* 630
- Eye, nocardiosis 459
- Extracellular production of indolices by the fungus *Cyathus* 736
- fairy rings 671
- Faro, S. [Review of] Microbiology—an introduction to Protists 1094
- . Utilization of certain amino acids and carbohydrates as carbon sources by *Achlya heterossexualis* 1234
- Farr, Marie L. A new species of *Stromiopsis* from Brazil 652
- . See Müller and Farr 1080
- . Two undescribed *Myxomycetes* from Argentina 634
- Fennell, D. I. See Kwon-Chung and Fennell 478
- Fergus, C. L. See Celerin and Fergus 1030
- . The temperature relationships and thermal resistance of a new thermophilic *Papulaspora* from mushroom compost 426
- , and R. M. Amelung. The heat resistance of some thermophilic fungi on mushroom compost 675
- , and ———. A new thermotolerant species of *Chaetomium* from mushroom compost 1212
- Fleshy fungi of Alaska 370
- Florida, mycorrhizae on soybean 672
- Forests, *Phycomycetes* 283
- ¹⁴C-labelled succinate 290
- Francis, David. [Review of] De la cellule à l'organisme (*Acrasiales*, *Myxomycetes*, *Myxobacteriales*) 1092
- Fruit, mycotoxin-producing fungus 1086
- Fungi imperfecti 1067
- Fungi of South India; review 439
- Fungi of the Chesapeake Bay and its tributaries. I. Patuxent River 237
- Funk, A., and R. A. Shoemaker. *Xenomeris abietis* associated with dieback of Douglas fir and western hemlock 567
- Furtado, João S. The septal pore and other ultrastructural features of the pyrenomycete *Sordaria fimicola* 104

- , and L. S. Olive. Ultrastructural evidence of meiosis in *Ceratiomyxa fruticulosa* 413
- , Jr., and Samuel B. Jones. Ultrastructural studies of protostelids: the fruiting stage of *Cavostelium bisporum* 132
- Fusarium wilt of tomato; review 1248
- Gams, Walter. See Domsch and Gams 694
- Generic disposition and pycnium type in Uredinales 1089
- Genetics
- Agaricus 630
 - Fomes 722
 - Metarrhizium 701
 - Ustilago 94
- Genus Epithele 937
- Genus Gomphidius with a revised description of the Gomphidiaceae and a key to the genera 1129
- Genus Lentinellus 333
- Genus Lepidoderma 490
- Genus Merulius IV. Species proposed by Berkeley, by Berkeley and Curtis, and by Berkeley and Broome 219
- Genus Merulius V. Taxa proposed by Bresadola, Bourdot & Galzin, Hennings, Rick, and others 800
- Genus Saprolegnia; review 188
- Germination of oospores produced by *Phytophthora megasperma* var *sojae* 972
- Gilbertson, R. L. See Canfield and Gilbertson 964
- , See Neuhauser and Gilbertson 722
- GINNS, James H. The Genus Merulius IV. Species proposed by Berkeley, by Berkeley and Curtis, and by Berkeley and Broome 219
- , The genus Merulius V. Taxa proposed by Bresadola, Bourdot & Galzin, Hennings, Rick, and others 800
- Gleason, Frank H. Alcohol dehydrogenase in Mucorales 906
- Gliocephalotrichum, new combinations and a new species 575
- Gloiosphaera clericiana from New York State 890
- Glossary of mycology; review 1249
- Glucose effect 1164; Helminthosporium 553
- Gomphidiaceae 1129
- Goos, R. D. *Listeromyces insignis* refund 213
- , See Dring et al. 893
- Gordon, Morris A. See Hazen et al. 1238
- Gorin, P. A. J. See Spencer and Gorin 387
- Gotelli, David. *Lagenisma coscinodisci*, a parasite of the marine diatom *Coscinodiscus* occurring in the Puget Sound, Washington 171
- Gottlieb, David. Limited growth in fungi 619
- Grain, cased 18
- Grand, Larry F. Tuberculate and *Cenococcum mycorrhizae* of *Photinia* (Rosaceae) 1210
- , and Alexander H. Smith. A new species of *Boletus*, section *Luridi*, from North Carolina 884
- , and —, A previously unrecognized southern species of *Boletus* 114
- Great Plains, *Platyspora pentamera* 668
- Groves, James Walton (1906-1970); biography 1
- Growth in fungi 619
- Growth
- Pythium* 31
 - Thelebolus* 118
 - zinc effect 548
- Growth factors, casamino acids 1231
- Guanine 42, 45
- Guatemala, mushroom stones 983
- Guba, Emil F. Wild mushrooms—food and poison; review 185
- Guerrero, Rosa T. On the real nature of the "setae" in *Tremella fuciformis* 920
- Guzmán, Gastón. See Trappe and Guzmán 317
- Gymnoascaceae 191
- Hale, Mason E. How to know the lichens; review 932
- Hall, D., and D. E. Stuntz. Fileate Hydnaceae of the Puget Sound area. I. White-spored genera: *Auriscalpium*, *Hericium*, *Dentinum* and *Phellodon* 1099
- Halosphaeriaceae 857
- Harrison, K. A. *Dentinum* S. F. Gray or *Hydnum* L. ex Fries 1067
- Hawaii, *Clathrus oahuensis* 893
- Hazen, Elizabeth L., Morris A. Gordon, and Frank Curtis Reed. Laboratory identification of pathogenic fungi; review 1238
- Heat resistance of some thermophilic fungi on mushroom compost 675
- Heim, Roger. *Champignons d'Europe*; review 931
- Heintz, C. E., and D. J. Niederpruem. Ultrastructure of quiescent and germinated basidiospores and oidia of *Coprinus lagopus* 745

- Helminthosporium allii* as type of a new genus 380
Hemiascomycetes 994
 Hendrix, F. F., Jr., and W. A. Campbell. A new species of *Pythium* with spiny oogonia and large chlamydospores 978
 ———, ———, and C. Y. Chien. Some phycomycetes indigenous to soils of old growth forests 283
 Hennig, Bruno. Michael-Hennig Handbuch für Pilzfreunde. Fünfter Band. Milchlinge (Lactarii) und Täublinge (Russulae); review 1095
 Hennings, Merulius species 800
 Hesburg, Mendel (ed.). Proceedings of the first U. S.-Japan conference on toxic microorganisms, mycotoxins, botulism; review 1247
 Hess, W. M. See Allen et al. 144
 Heterokaryosis in the entomogenous fungus, *Metarrhizium anisopliae* 701
 Hinson, K. See Schenck and Hinson 672
 Hodges, C. S., and Margaret E. Barr. A new species of *Pseudomassaria* and its *Beltraniella* conidial state 562
 Hogenson, Robert O., and Robert M. Hosford, Jr. Sexual reproduction in *Leptosphaeria avenaria* f. sp. *triticea* induced by wave lengths of light greater than 560 m μ 958
 Hosford, R. M., Jr. *Platyspora pentamera* in the Great Plains on wheat 668
 ———. See Hogenson and Hosford 958
 How to know the lichens: review 932
 Howard, Kenneth L. Oöspore types in the *Saprolegniaceae* 679
 ———, and Truman R. Bryant. Meiosis in the Oömycetes: II. A microspectrophotometric analysis of DNA in *Apodachlya brachynema* 58
 Huang, L. H., and K. B. Raper. *Aspergillus longivesica*, a new species from Nigerian soil 50
 Hughes, D. E., and A. H. Rose (eds.). Microbes and biological productivity; review 1248
 Humidity effect, *Chaetomium* 1030
Hyalotia pistacina, a new species, and a note on *Pestalotia thujae* 663
Hydnaceae, white-spored genera 1099
 Hydrogen effect
 Fusarium 466
 Helminthosporium 553
 Pythium 31
 Hymenochaetaceae, nucleotide composition of deoxyribonucleic acid 38
 Hyperparasite, *Cercospora uromycestri* 689
 Hyphae, lateral origin 55
 Hypogeous fungi, Mexico 317
 Iceland
 aquatic fungi 517
 Pythium 517
 India, *Pyrenomyces* 1024
 Indolices 736
 Induction of protoplasts of *Schizosaccharomyces octosporus* by magnesium sulfate and 2-deoxy-D-glucose 819
 Instability of an aflatoxin-producing strain of *Aspergillus parasiticus* 644
 Interstrain interaction, *Ustilago* 94
 Isolation of *Nocardia* from soil by a modified paraffin bait method 175
 Isolation of thermophilic fungi from self-heated, industrial wood chip piles 537
 Johnson, George T. [Review of] How to know the lichens 932
 ———. See White and Johnson 548
 Johnson, T. W., Jr. Aquatic fungi of Iceland: *Pythium* 517
 Johri, B. N., and H. J. Brodie. Extracellular production of indolices by the fungus *Cyathus* 736
 Jones, Samuel B., Jr. See Furtado et al. 132
 Jong, Shung C., and Chester R. Benjamin. North American species of *Nummularia* 862
 Jørgstad, Ivar; biography 697
 Jørgen, F. See Combs et al. 178
 Kar, A. K., and M. K. Maity. Leaf-inhabiting *Pyrenomyces* of West Bengal (India) 1024
 Keller, Harold W., and Don R. Reynolds. A new *Perichaena* with reticulate spores 405
 ———, and Travis E. Brooks. A new species of *Perichaena* on decaying leaves 657
 Kempton, Phyllis E. See Wells and Kempton 370
 Kennedy, Lorene L., and Richard J. Larcade. Basidiocarp development in *Polyporus adustus* 69
 Kenneth, Robert G. A new species of *Ascotricha* 915
 Keys for identification
 Ceratocystis, species 393
 Clastodermataceae, genera 927

- Dentinum, species 1113
 Echinosteliales, families 927
 Echinosteliaceae, genera 927
 Glioscephalotrichum, species 578
 Gomphidiaceae, genera 1132
 Gomphidius glutinosus, varieties 1155
 Gomphidius, species 1135
 Hericium abietis, forms 1104
 Hericium ramosum, forms 1109
 Hericium, stirpes 1103
 Hericium stirps Coralloides, species 1104
 Leccinum, California, species 262
 Lentinellus, species 336
 Lepidoderma, species 493
 Limacinula, species 1186
 Nummularia, species 865
 Phellodon, stirpes 1120
 Poroid Agaricales, cultural characters 45
 Pileate hydnums, genera 1101
 Puget Sound hydnums 1101
 Pythium, species 517
 Stereum, species 797
 Strobilurus, species 371
 Koehler, P. E. See Childs et al. 181
 Koehn, Robert D. Laboratory culture and ascocarp development of Podosordaria leporina 441
 Koevenig, J. L. See Konijn and Koevenig 901
 Kohlmeier, Erika. See Kohlmeier and Kohlmeier 831
 Kohlmeier, Jan, and Erika Kohlmeier. Marine fungi from tropical America and Africa 831
 Konijn, T. M., and J. L. Koevenig. Chemotaxis in myxomycetes or true slime molds 901
 Korf, Richard P. See Dumont and Korf 157
 ———. See Rogers et al. 1084
 ———, and K. S. Waraitch. Thindia, a new genus of the Sarcoscyphiaceae (Pezizales) 98
 Kowalski, Donald T. The genus Lepidoderma 490
 Kuehn, H. H. See Orr and Kuehn 191
 Kurtzman, C. P. See Wickerham and Kurtzman 1013
 Kurup, P. V., and J. A. Schmitt. Isolation of Nocardia from soil by a modified paraffin bait method 175
 Kwon-Chung, K. J., and D. I. Fennell. A new pathogenic species of Aspergillus 478
 L-canavanine, Aspergillus 181
 L-(+)-dihydroxysuccinate 290
 L-monohydroxysuccinate 290
 Laboratory culture and ascocarp development of Podosordaria leporina 441
 Laboratory identification of pathogenic fungi; review 1238
 Laboratory method to obtain fruit from cased grain spawn of the cultivated mushroom, Agaricus bisporus 16
 Lagenisma coscinodisci, a parasite of the marine diatom Coscinodiscus occurring in the Puget Sound, Washington 171
 Lanthionine—an organic source of sulfur for growth of yeast-phase cells of Histoplasma capsulatum 432
 Larcade, Richard J. See Kennedy and Larcade 69
 Larpent, L. P. De la cellule a l'organisme (Acrasiales, Myxomycetes, Myxobacteriales); review 1092
 Le genre Panaeolus, essai taxinomique et physiologique; review 435
 Leach, Charles M., and Margaret Tulloch. Pithomyces chartarum, a mycotoxin-producing fungus, isolated from seed and fruit in Oregon 1086
 Leaf-inhabiting Pyrenomyces of West Bengal (India) 1024
 Lechevalier, Hubert A., and David Pramer. The microbes; review 929
 LeStourgeon, Wallace M., Charles F. Bohnstedt, and Philip Thimell. Supportive evidence for postcleavage meiosis in Physarum flavicomum 1002
 Lichens 422
 Lichtwardt, Robert W. See Williams and Lichtwardt 910
 Life cycle studies of two North American grass rusts 889
 Light effect
 Aspergillus 55
 Leptosphaeria 958
 Podosordaria 445
 Limited growth in fungi 619
 Listeromyces insignis refound 213
 Linderina macrospora from forest soil of the southeastern United States 410
 Long Island, yeasts 178
 Longevity of Cercospora beticola conidia under different storage conditions 640
 Lowy, B. New records of mushroom stones from Guatemala 983
 Lycoperdon subpratense C. G. Lloyd nomen rejiciendum 1226
 MacPherson, C. R. See Tewari and MacPherson 602

- McCormick, W. H. See Erwin and McCormick 972
- McGinnis, Michael R. Selected aspects of the biology of *Hyalospora polypodii* on *Cystopteris fragilis* 277
- McKnight, Kent H. [Review of] Wild mushrooms—food and poison 185
- McVeigh, Ilda, and Zoe Evans. Lanthionine—an organic source of sulfur for growth of yeast-phase cells of *Histoplasma capsulatum* 432
- Maas, John L. *Hyalotia pistacina*, a new species, and a note on *Pestalotia thujae* 663
- Magnesium effect
 Histoplasma 1164
- Magnesium sulfate effect
 Schizosaccharomyces 819
- Maintenance of fungal cultures in presterilized, disposable screw-cap plastic tubes 1218
- Maity, M. K. See Kar and Maity 1024
- Malloch, David. See Wicklow and Malloch 118
- Mannose-containing polysaccharides 387
- Marine fungi 237
- Marine fungi from tropical America and Africa 831
- Marx, D. H., W. C. Bryan, and W. A. Campbell. Effect of *Endomycorrhizae* formed by *Endogone mosseae* on growth of citrus 1222
- Mathre, D. E. See Strobel and Mathre 186
- Mayne, Ruth Y., Joan W. Bennett, and J. Tallant. Instability of an aflatoxin-producing strain of *Aspergillus parasiticus* 644
- Media
 grain, *Agaricus* 18
 grass extract 442
 growth 230
 Helminthosporium 549
 Leonian's agar 120
 Oidiodendron 604
 Piedraia 612
 synthetic for *Podosordaria* 443
 Ustilago 94
 wood chip fungi 540
- Medical mycology 602
 Aspergillus 478
 Nocardia of eye 459
- Medical mycology: review 1241
- Medical mycology manual; review 1240
- Meeker, J. See Dring et al. 893
- Meiosis in *Ceratiomyxa fruticulosa* 413
- Meiosis in *Didymium iridis* 308
- Meiosis in the *Oömycetes*: II. A microspectrophotometric analysis of DNA in *Apodachlya brachynema* 58
- Meiosis, postcleavage 1002
- Methods
 B.O.D.-type incubator 20
 cased grain 18
 casing, soil 19
 dung plate 120
 fungal culture maintenance 1218
 isolation of *Nocardia* 175
 PVC sampler 178
 transplantation technique 613
- Methods in microbiology Vol. 4; review 1247
- Mexico, hypogeous fungi 317
- Michael-Hennig Handbuch für Pilzfreunde. Fünfter Band. Milchlinge (*Lactarii*) und Täublinge (*Russulae*); review 1095
- Microbes; review 929
- Microbes and biological productivity; review 1248
- Microbial ecology; review 1243
- Microbiology—An introduction to Protists; review 1094
- Microspectrophotometric analysis of DNA, *Apodachlya* 58
- Miller, Orson K., Jr. The genus *Gomphidium* with a revised description of the Gomphidiaceae and a key to the genera 1129
- , and Linnea Stewart. The genus *Lentinellus* 333
- Miller, Robert E. Evidence of sexuality in the cultivated mushroom. *Agaricus bisporus* 630
- Mims, Charles W. An ultrastructural study of spore germination in the myxomycete *Arcyria cinerea* 586
- Mineral effect
 Helminthosporium 555
 Podosordaria 445
- Minute new *Echinostelium* with protostelid affinities 1051
- Missouri, soil fungi 1076
- Moore, B. See Park and Moore 403
- Morphology
 Aphanomyces 686
 Arcyria 586
 Cavostelium 132
 Coprinus 745
 Fusarium 462
 Harpochytrium 767
 Oidiodendron 602
 Podosordaria 441
 Polyporus 69
 Saprolegniaceae 679
 Schizosaccharomyces 819
 Septosperma 89
 Sordaria 104, 204

- Thelebolus* 118
Tilletia 144
 Morris, Everett F. See Brandsberg and Morris 1076
Mucorales 287, 906
Mucorales. Eine Beschreibung aller Gattungen und Arten diers Pilzgruppe; review 1093
 Müller, Emil, and Marie L. Farr. A new genus of the Schizothyriaceae from the Pacific Northwest 1080
 Murchelano, R. A. See Combs et al. 178
 mushroom compost 675, 1212
 Mushroom compost, thermophilic *Papulaspora* 426
 Mushroom stones 983, 1987, 1988, 1989, 1991
 Mycologists, portraits
 Groves, James Walton 2
 Jørsted, Ivar 698
 Mycoparasitic chytrids 83
 Mycorrhiza
 Picea 649
 Mycorrhizae 1210, 1222
 Glycine 672
 Mycorrhizae on soybean 672
 Mycotoxin-producing fungus 1086
 Mykosen, Aktinomokken und Nocardiosen, Pneumokokken und Klebsiellenerkrankungen; review 438
 Myxomycetes 901, 925, 1064
 Myxomycetes from Argentina 634
 Neuhauser, K. Sieglinde, and R. L. Gilbertson. Some aspects of bipolar heterothallism in *Fomes cajanderi* 722
 New dimorphic fungus, *Oidiodendron kalrai*: morphological and biochemical characteristics 602
 New ectomycorrhizal symbiont, *Hygrophorus chrysodon*, associated with American basswood 403
 New genus of the Schizothyriaceae from the Pacific Northwest 1080
 New pathogenic species of *Aspergillus* 478
 New *Pennella* (*Trichomycetes*) from *Simulium* larvae 910
 New *Perichaena* with reticulate spores 405
 New records of mushroom stones from Guatemala 983
 New species of *Ascotricha* 915
 New species of *Boletus*, section *Luridi*, from North Carolina 884
 New species of *Ceratocystis* 5
 New species of *Coemansia* 1046
 New species of *Hypomyces* on *Helvella* 416
 New species of *Lepiota* 79
 New species of *Martininia* 648
 New species of *Mortierella* from North Carolina 826
 New species of *Perichaena* on decaying leaves 657
 New species of *Pseudomassaria* and its *Beltraniella* conidial state 562
 New species of *Pythium* with spiny oogonia and large chlamydsopores 978
 New species of *Stomiopeltis* from Brazil 652
 New stillbellaceous fungus from Missouri soil 1076
 New thermotolerant species of *Chaetomium* from mushroom compost 1212
 New York, *Gloiosphaera clerciana* 890
 Niederpruem, Donald J. [Review of] *The Microbes* 929
 ———. See Heintz and Niederpruem 745
 Nigeria, *Aspergillus* 50
 1967 foray in Texas 1063
 Nitrogen effect, *Podosordaria* 444
 Nobles, Mildred K. See Storck et al. 38
 Nocardiosis of eye 459
 Nolan, Richard A. Amino acids and growth factors in vitamin-free casamino acids 1231
 Nomenclatural notes. VIII. *Stromatinia*, an available generic name (not to be replaced by *Tarsetta*, the correct name for *Pustulina*) 1084
 Nomenclature
 Dentinum 1067
 Hydnum 1067
 Sclerotiniaceae 157
 North American grass rusts 889
 North American species of *Nummularia* 862
 North Carolina
 Boletus 884
 Mortierella 826
 Note on *Gastrumia polystigmatis* 897
 Notes on *Gymnoascaceae*. I. A review of eight species 191
 Notes on some hypogeous fungi from Mexico 317
 Notes on the genus *Albatrellus* in Arizona 964
 Notice 935, 1098, 1250
 Novello, C. See Tinline and Novello 701
 Nuclear control, *Ustilago* 94
 Nuclear distribution in *Metarrhizium anisopliae* 713
 Nucleotide composition of deoxyribonucleic acid of some species of

- Hymenochaetaceae and Polyporaceae 38
- Nutrient effect
Chaetomium 1030
Gibberella 641
- Nutritional characters, *Pichia* 997
- Nutritional requirements, *Fusarium* 471
- Oidia* 745
- Ola'h, György Miklós. Le genre *Panaeolus*, essai taxinomique et physiologique; review 435
- Olive, Lindsay S., and Carmen Stoianovitch. A minute new *Echinostelium* with protostelid affinities 1051
- . See Erdos and Olive 877
- . See Furtado and Olive 413
- . See Furtado et al. 132
- On the real nature of the "setae" in *Tremella fuciformis* 920
- Oogonia*, *Phytophthora* 978
- Oomycetes* 1065
- Oomycetes*, meiosis 58
- Oospore structure in *Aphanomyces* 686
- Oospore types in the *Saprolegniaceae* 679
- Oospores, germination 972
- Oregon, mycotoxin-producing fungus 1086
- Orr, G. F., and H. H. Kuehn. Notes on *Gynoasceae*. I. A review of eight species 191
- Outlines of plant pathology; review 186
- Pacific Northwest, *Schizothyriaceae* 1080
- Pady, S. M. Urediospore release in *Melampsora euphorbiae*, *M. lini* and *Puccinia pelargonii-zonalis* 1019
- Paraffin bait method, *Nocardia* 175
- Park, J. Y., and B. Moore. A new ectomycorrhizal symbiont, *Hygrophorus chrysodon*, associated with American basswood 403
- Parmeter, John R., Jr. (ed.). *Rhizoctonia solani*, biology and pathology; review 1248
- Paterson, R. A. [Review of] Microbial ecology 1243
- Patuxent River 237
- Peptone effect, *Helminthosporium* 554
- Perithecium, development
Podosordaria 449
- Pests of protected cultivation; review 438
- Peterson, J. L. See Cappellini and Peterson 641
- Pezizales, *Sarcoscyphinae* 98
- pH, nutrients and macrospore germination in *Gibberella zeae* 641
- Phosphate effect, *Fusarium* 473
- Photographs, Industrial wood chips 538
- Phycomycetes* 318
- old growth forests 283
- Physiology
Achlya 1234
Aspergillus 644
Cercospora 640
Chaetomium 1030
Claviceps 290
Fuligo 669
Fusarium 462
Gibberella 641
Helminthosporium 548
Leptosphaeria 958
Mucorales 906
Myxomycetes 901
Papulaspora 426
Pichia 994
Podosordaria 441
Pythium 31
Rhizoctonia 619
Schizosaccharomyces 819
Thelebolus 118
- Pigment, *Helminthosporium* 548
- Pileate *Hydnaceae* of the Puget Sound area. I. White-spored genera: *Auriscalpium*, *Hericium*, *Dentinum* and *Phellodon* 1099
- Pilze aus Agrarböden; review 694
- Pirozynski, K. A. Note on *Geastrumia polystigmatis* 897
- Pithomyces chartarum*, a mycotoxin-producing fungus, isolated from seed and fruit in Oregon 1086
- Platyspora pentamera* in the Great Plains on wheat 668
- Poindexter, J. S. Microbiology—an introduction to Protists; review 1094
- Pollack, Flora G. *Cercospora uromycestri*, hyperparasite of rust on *Cestrum diurnum* 689
- Polyporaceae, nucleotide composition of deoxyribonucleic acid 38
- Polysaccharides, mannose-containing 387
- Poroid Agaricales 42
- Pramer, David. See Lechevalier and Pramer 929
- Previously unrecognized southern species of *Boletus* 114
- Proceedings International Symposium on Mycoses; review 1097
- Proceedings of the first U.S.-Japan conference on toxic microorganisms, mycotoxins, botulism; review 1247
- Proceedings of the Second Symposium on Medical Mycology; review 1097
- Production of ascospores by *Piedraia hortai* in vitro 612
- Proteomyxid 877

- Proton magnetic resonance spectra 387
 Protoplast induction 1164
 Protostelids, the fruiting stage of
 Cavostelium bisporum 132
 Protostelids 1051
 Psychrophiles 128
 Puget Sound, Hydnaceae 1099
 Pycnium 1089
 Pyrenomyces 1024
 Sordaria 104
 Raper, K. B. See Huang and Raper 50
 Reca, Maria E. See Berliner and Reca 1164
 Reed, Frank Curtis. See Hazen et al. 1238
 Reeves, F. Brent. The structure of the ascus apex in *Sordaria fimicola* 204
 Reynolds, Don R. The sooty mold ascomycete genus *Limacinula* 1173
 — See Keller and Reynolds 405
 Rhizocotonia solani, biology and pathology; review 1248
 Richard, Claude. See Elliott and Richard 648
 Rick
 Merulius species 800
 Røed, H. Ivar Jørstad (1887-1967); biography 697
 Rogers, A. L. See Beneke and Rogers 1240
 Rogers, Joanne K., K. P. Dumont, and Richard P. Korf. Nomenclatural notes. VIII. Stromatinia, an available generic name (not to be replaced by Tarzetta, the correct name for *Pustulina*) 1084
 Rogerson, Clark T., and Horace R. Simms. A new species of *Hypomyces* on *Helvella* 416
 — [Review of] British fungus flora. Agarics and boleti: 1. Boletaceae; Gomphideaceae; Paxillaceae 930
 — [Review of] Michael-Hennig Handuch für Pilzfreunde. Fünfter Band. Milchlinge (Lactarii) und Täublinge (Russulae); review 1095
 Rose, A. H. See Hughes and Rose 1248
 Ruppel, E. G. Longevity of *Cercospora beticola* conidia under different storage conditions 640
 Rust on *Cestrum diurnum* 689
 San Antonio, James P. A laboratory method to obtain fruit from cased grain spawn of the cultivated mushroom, *Agaricus bisporus* 16
 Saprolegniaceae 679
 Sarcoscyphineae 98
 Saturn-spored species, *Pichia* 1013
 Savile, D. B. O. Generic disposition and pycnium type in Uredinales 1089
 Schenck, N. C. and K. Hinson. Endotrophic vesicular-arbuscular mycorrhizae on soybean in Florida 672
 Schizothyriaceae 1080
 Schmitt, J. A. See Kurup and Schmitt 175
 Schouties, Calvin L. and Charles Y. Yang. Electronic particle counting of zoospores of *Aphanomyces euteiches* 169
 Sclerotiniaceae I. Generic nomenclature 157
 Seed, mycotoxin-producing fungus 1086
 Selected aspects of the biology of *Hyaloopsis polypodii* on *Cystopteris fragilis* 277
 Septal pore and other ultrastructural features of the pyrenomyces *Sordaria fimicola* 104
 Setae 920
 Sexual behavior, *Dictyuchus monosporus* 22
 Sexual reproduction in *Leptosphaeria avenaria* f. sp. *triticea* induced by wave lengths of light greater than 560 m μ 958
 Sexuality, *Agaricus* 630
 Seymour, Roland L. Studies on mycoparasitic chytrids. I. The genus *Septosperma* 83
 — The genus *Saprolegnia*; review 188
 Shaffer, Robert L. (Review of) Le genre *Panaeolus*, essai taxinomique et physiologique 435
 Shearer, Carol A., and J. L. Crane. Fungi of the Chesapeake Bay and its tributaries. I. Patuxent River 237
 Sherwood, William A. Some observations on the sexual behavior of the progeny of six isolates of *Dictyuchus monosporus* 22
 Shoemaker, R. A. James Walton Groves (1906-1970); biography 1
 — See Funk and Shoemaker 567
 Siepmann, R. See Zycha and Siepmann 1093
 Simulium larvae 910
 Simmons, Emory G. *Helminthosporium allii* as type of a new genus 380
 — [Review of] Pilze aus Agrarböden 694
 — See Wiley and Simmons 575
 Simms, Horace R. See Rogerson and Simms 416

- slime molds 901
- Smith, Alexander H. [Review of] *Champignons d'Europe* 931
- . See Grand and Smith 114
- . See Grand and Smith 884
- . Some observations on selected species of *Clavariadelphus* 1073
- , and Harry D. Thiers. The boletes of Michigan; review 1245
- Smith, Roger S. Maintenance of fungal cultures in presterilized, disposable screw-cap plastic tubes 1218
- Snell, Walter H. and Esther Dick. A glossary of mycology; review 1249
- , and ———. [Review of] The boletes of Michigan 1245
- Snyder, John C. See Batshon et al. 459
- Soil fungi 283, 410
- Aspergillus* 50, 483
- Missouri 1076
- Nocardia* 175
- Some aspects of bipolar heterothallism in *Fomes cajanderi* 722
- Some observations on selected species of *Clavariadelphus* 1073
- Some observations on the sexual behavior of the progeny of six isolates of *Dictyuchus monosporus* 22
- Some *Phycomycetes* indigenous to soils of old growth forests 283
- Sooty mold ascomycete genus *Lima-cinula* 1173
- Soybean, mycorrhizae 672
- Spawn of *Agaricus bisporus* 16
- Spencer, J. F. T., and P. A. J. Gorin. Systematics of the genera *Ceratocystis* and *Graphium*. Proton magnetic resonance spectra of the manose-containing polysaccharides as an aid in classification 387
- Spermatophytes
- Abies* 324, 326, 336, 377, 420, 1113, 1115, 1118, 1122, 1124, 1143, 1147, 1156, 1158
- Acer* 403
- Alnus* 921
- Althaea* 877
- Arbutus* 267, 269
- Arctostaphylos* 267
- Beta 890
- Byronia* 897
- Canavalia* 183
- Citrus* 1222
- Cupressus* 79
- Cymodocea* 832
- Dactylis* 1086
- Datura* 890
- Eucalyptus* 325
- Glycine* 672
- Larix* 377, 1144, 1154
- Lycopersicon* 890
- Nicotiana* 890
- Pachira* 831
- Photinia* 1210
- Picea* 336, 377, 420, 649, 1143, 1147, 1150, 1156-1160
- Pinus* 262, 319, 321, 322, 328, 330, 377, 483, 965, 978, 1121, 1149, 1150, 1158, 1161
- Polystigma* 897
- Populus* 262
- Pseudotsuga* 377, 403, 420, 539, 965, 1113, 1117-1122, 1143, 1147, 1161, 1210
- Quercus* 321, 323, 325, 326, 330
- Sequoia* 1143
- Thuja* 1115
- Tilia* 403
- Tsuga* 377, 1113, 1117-1124, 1147
- Spiny oogonia, *Phytophthora* 978
- Spore germination
- Arcyria* 586
- Fuligo* 669
- Fusarium* 463
- Gibberella* 641
- Hyalospora* 278
- Spore number, *Physarum* 1006
- Spore viability, *Hyalospora* 278
- Sporodesmin 1086
- Stewart, Linnea. See Miller and Stewart 333
- Stoianovitch, Carmen. See Olive and Stoianovitch 1051
- Storck, Roger, Mildred K. Nobles, and Constantine J. Alexopoulos. The nucleotide composition of deoxyribonucleic acid of some species of *Hymenochaetaceae* and *Polyporaceae* 38
- Strains
- Agaricus* 18
- Strobel, G. A., and D. E. Mathre. Outlines of plant pathology; review 186
- Structure of the ascus apex in *Sordaria fimicola* 204
- Studies in the genus *Thelebolus*: temperature optima for growth and ascocarp development 118
- Studies on mycoparasitic chytrids. I. The genus *Septosperma* 83
- Studies on protoplast induction in the yeast phase of *Histoplasma capsulatum* by magnesium sulfate and 2-deoxy-D-glucose 1164
- Studies on the fleshy fungi of Alaska. V. The genus *Strobilurus* with notes on extralimital species 370
- Stuntz, D. E. See Hall and Stuntz 1099
- Sulfur effect, yeast-phase cells 432
- Sundberg, Walter J. A new species of *Lepiota* 79

- Supportive evidence for postcleavage meiosis in *Physarum flavicomum* 1002
- Symbiont, *Hygrophorus chrysodon* 403
- Synaptonemal complexes and meiosis in *Didymium iridis*: a reinvestigation 308
- Systematics of the genera *Ceratocystis* and *Graphium*. Proton magnetic resonance spectra of the mannose—containing polysaccharides as an aid in classification 387
- Taber, Willard A. Uptake of ^{14}C -labelled succinate, L(+)-dihydroxysuccinate, L-monohydroxysuccinate, citrate, alpha-ketoglutarate, and D-glucose by washed mycelium of *Claviceps purpurea* 290
- Takashio, M., and R. Vanbreuseghem. Production of ascospores by *Piedraia hortai* in vitro 612
- Tallant, J. See Mayne et al. 644
- Tansey, Michael R. Isolation of thermophilic fungi from self-heated, industrial wood chip piles 537
- Taxonomic studies in the myxomycetes. III. Clastodermataceae: a new family of the Echinosteliales 925
- Teliopores, dormant, *Tilletia caries* 144
- Temperature effect
Chaetomium 1030, 1216
Helminthosporium 553
Phytophthora 975
Podosordaria 445
Pythium 31
Thelebolus 118
- Temperature relationships and thermal resistance of a new thermophilic *Papulaspora* from mushroom compost 426
- Terms
 catenophysis 858
 rumposomes 783
 trichospores 910
- Tewari, R. P., and C. R. MacPherson. A new dimorphic fungus, *Oidio-dendron kalrai*: morphological and biochemical characteristics 602
- Thalassiomycetes 858
- Thermal resistance of a new thermophilic *Papulaspora* 426
- Thermophilic fungi 537
- Thermophilic fungi on mushroom compost 675
- Thermophilic *Papulaspora* from mushroom compost 426
- Thermotolerant fungi 1212
- Thiers, H. D. California boletes IV. The genus *Leccinum* 261
- . See Smith and Thiers 1245
- Thimell, Philip. See LeSturgeon et al. 1002
- Thindia, a new genus of the Sarcoscyphineae (Pezizales) 98
- Tinline, R. D., and C. Novicello. Heterokaryosis in the entomogenous fungus, *Metarrhizium anisopliae* 701
- . Nuclear distribution in *Metarrhizium anisopliae* 713
- Trappe, James M., and Gastón Guzmán. Notes on some hypogeous fungi from Mexico 317
- Travland, Linda B., and Howard C. Whisler. Ultrastructure of *Harpochytrium hedinii* 767
- Trichomycetes 910
- Tropical America, marine fungi 831
- Tuberculate and Cenococcum mycorrhizae of *Photinia* (Rosaceae) 1210
- Tulloch, Margaret. See Leach and Tulloch 1086
- 2-deoxy-D-glucose effect
Schizosaccharomyces 819
- Two new Hemiascomycetes: *Pichia crossotarsi* and *P. microspora* 994
- Two new saturn-spored species of *Pichia* 1013
- Two undescribed Myxomycetes from Argentina 634
- Ultrastructural evidence of meiosis in *Ceratiomyxa fruticulosa* 413
- Ultrastructural investigation of dormant *Tilletia caries* teliopores 144
- Ultrastructural studies of protostelids: the fruiting stage of *Cavostelium bisporum* 132
- Ultrastructural study of spore germination in the myxomycete *Arcyria cinerea* 586
- Ultrastructure
Cavostelium 132
Didymium 308
Sordaria 104
Tilletia 144
- Ultrastructure of *Harpochytrium hedinii* 767
- Ultrastructure of quiescent and germinated basidiospores and oidia of *Coprinus lagopus* 745
- Unusual occurrence of "fairy rings" 671
- Uredinales 1089
- Urediospore release in *Melampsora euphorbiae*, *M. lini* and *Puccinia pelargonii-zonalis* 1019
- Uptake of ^{14}C -labelled succinate, L(+)-dihydroxysuccinate, L-monohydroxysuccinate, citrate, alpha-ketoglutarate, and D-glucose by washed mycelium of *Claviceps purpurea* 290

- Utilization of certain amino acids and carbohydrates as carbon sources by *Achlya heterossexualis* 1234
- Utz, John P. See Emmons et al. 1241
- Vanbreuseghem, R. See Takashio and Vanbreuseghem 612
- Vitamin effect
 Podosordaria 445
- Vitamin-free casamino acids 1231
- Walker, J. C. *Fusarium* wilt of tomato; review 1248
- Wang, C. J. K. *Gloiosphaera cleriana* from New York State 890
- Waraich, K. S. See Korf and Waraich 98
- Washington
 Hydnaceae 1099
 Lagenisma coscinodisci 171
- Watling, R. British fungus flora. Agarics and boleti: 1. Boletaceae; Gomphideaceae; Paxillaceae; review 930
- Wave lengths 958
- Weber, D. J. See Allen et al. 144
- Welden, A. L. An essay on *Stereum* 790
- Wells, Virginia L., and Phyllis E. Kempton. Studies on the fleshy fungi of Alaska. V. The genus *Strobilurus* with notes on extralimital species 370
- West Bengal, *Pyrenomyces* 1024
- Western hemlock dieback 567
- Wheat, *Platyspora pentamera* 668
- Whisler, Howard C. See Travland and Whisler 767
- White, James P., and George T. Johnson. Zinc effect on growth and cynodontin production of *Helminthosporium cynodontis* 548
- Wickerham, L. J., and C. P. Kurtzman. Two new saturn-spored species of *Pichia* 1013
- Wicklow, Donald, and David Malloch. Studies in the genus *Thelebolus*: temperature optima for growth and ascocarp development 118
- Wild mushrooms—food and poison; review 185
- Wiley, B. J., and E. G. Simmons. *Gliocephalotrichum*, new combinations and a new species 575
- Williams, Marvin C., and Robert W. Lichtwardt. A new *Pennella* (*Trichomycetes*) from *Simulium* larvae 910
- Wolf, Frederick T. An unusual occurrence of "fairy rings" 671
- Wood chip fungi 537
- Xenomeris abietis* associated with dieback of Douglas fir and western hemlock 567
- Yang, Charles Y. See Schoulties and Yang 169
- Yeast extract effect, *Helminthosporium* 554
- Yeast phase 1164
 Oidiendendron 604
- Yeast-phase cells 432
- Yeast symposium 1969. The proceedings of the third international symposium on yeast; review 437
- Yeasts isolated from Long Island Sound 178
- Zinc effects on growth and cynodontin production of *Helminthosporium cynodontis* 548
- Zoospores, *Aphanomyces* 169
- Zycha, H., and R. Siepmann. *Mucorales*. Eine Beschreibung aller Gattungen und Arten dieser Pilzgruppe; review 1093
- Zygomyces* 1065

FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

- Absidia 288; *blakesleeana* 907; *coerulea* 287; *cylindrospora* 287; *psychrophila* 907
 Achlya 687, 688; *ambisexualis* 1234; *americana* f 682, 684; *diffusa* 84; *heterosexualis* 1234-1237; *polyandra* 681, f 682; *treleaseana* 681
 Actinodendron *verticillatum* 198, 199
 Actinomucor *elegans* 907, 908
 Aecidium *plenum* 890
 Agaricus subg. *Gomphus* 1133; *bisporus* 16-21, 39, 630-634, f 631, 675-679; *campestris* 39; *cochleatus* 343; *cornuopioideus* 343; *flabelliformis* 357; *glutinosus* 1134, 1155; *Gomphidius glutinosus* β *roseus* 1148; *laurocerasi* 367; *maculatus* 1153; *rutilus* 1134; *ursinus* 351; *vulpinus* 347
 Ainsworthia 1206; *morindae* 1205; 1206
 Aithaloderma *clavatisporum* 1290
 Albatrellus 964-971; *caeruleoporus* 967; *confluens* 967; *cristatus* 970; ***dispansus*** 965, f 966, f 968; *ovinus* 970; *similis* f 966, 968-970, f 969
 Alburo 786; *ipomoeae-panduranae* 1065
 Aleurodiscus 1066; *acerina* 1066; *disciformis* 1066; *nivosus* 1066
 Allomyces 779, 783, 786, 787
 Alternaria 380, 381; *tenuis* 559
 Amanita *muscaria* 39; *strobiliformis* 39
 Amauroascus 196
 Amaurochaete *minor* 500, 503
 Amphinema *byssoides* 1066
 Amylostereum 790, 791
 Antennaria 1198
 Antennularia 1198; *tenuis* 1197, 1198
 Anthostoma *discincolum* 865
 Aphanomyces 684-688; *cladogamus* 687, 688; *euteiches* 169-171; *laevis* f 682, 684; *stellatus* 685, 687
 Apodachlya *brachynema* 58-68, f 60, f 62, f 63, f 67; *pyriferia* 684
 Aquascypha 790
 Arachniotus 192; *aureus* 195, 196; *dankaliensis* f 193, 197; *flavoluteus* 197; *indicus* 195; *intermedius* 196; *trachyspermus* 195, 196; *trisporus* 195
 Arcyria *cinerea* 586-601, f 589, f 591, f 593, f 594, f 595, f 597, f 599, 1003, 1064; *denudata* 1064; *incarnata* 1064; *insignis* 1064; *nutans* 1064
 Arthroderma *simii* 616
 Ascobolus 430, 456
 Ascodesmis *nigricans* 109; *sphaerospore* 112, 207
 Ascophanus 118
 Ascotricha 915-920; *amphitrichum* 919; *arcuata* 919; *chartarum* 919; *congoensis* 919; *erinacea* 917-920; *guamensis* 919; ***lusitanica*** 915-920, f 916, f 918; *pusilla* 919; *xylina* 919, 920
 Aspergillus 50, 51, 55, 56, 478-489; ***bisporus*** 479-489, f 480, f 481; *brunneo-uniseriatus* 485; *cervinus* 56, 485; *clavatus* 50, 55, 56; *conjunctus* 56; *flavus* 181-184, f 182, 644; *fumigatus* 429, 485, 538, 542-545; *funiculosus* 485; *giganteus* 51, 54-56; ***longivesica*** 53, f 53, 54-56; *malignus* 1042; *nidulans* 300, 710; *niger* 432, 559; *ornatus* 485; *parasiticus* 644-648; *raperi* 485; *restrictus* 485; *sparsus* 485; *ustus* 56
 Asterina 691; *anomala* 1186, 1188
 Astraeus *hygrometricus* 1066
 Athelia 807-809; *scirpina* 953; *typhae* 953
 Atkinsiella 174
 Aureobasidium 572, 1053
 Auriscalpium 1068, 1069, 1099-1128; *vulgare* 1068, f 1102, 1103, f 1125
 Auxarthron 200, 201; *brunneum* 199, 200; ***thaxteri*** 200, 201; *umbrinum* 200, 201
 Bacillus *stearothermophilus* 1043; *subtilis* 432
 Badhamia *granulifera* 500; *nitens* 514, 1064
 Baeospora *myosura* 370
 Balansia *epichloe* 1065
 Balladyna 691

- Barbeyella 925-927; minutissima 925, 926
 Beltrania 565
 Beltraniella 562-566; portoricensis 562-566
 Bipolaris 380, 381; ravenelii 1067; rostrata 1067
 Biscogniauxia 863; pezizoides 869
 Bispora 1078, 1079
 Bisporomyces 1067
Bisporostilbella 1078; fusca f 1077, 1078
 Bjerkandera 42, 47; adusta 45, 47; fumosa 45, 47
 Blakeslea trispora 907, 908
 Blastocladiella 779-787
 Boedijnopeziza 101
 Boletus 114-117, 884-888; sect *Luridi* 884-888; *edulis* 114, 115; ***piedmontensis* 885, f 887**; *pseudoolivaceus* 888; ***pseudoseparans* 115, f 115, f 116**; *satanus* var *americanus* 884; *separans* 114, 115
 Bolinia 864
 Botryobasidium subcoronatum 1066; vagum 1066
 Botryotinia 158; convoluta 159
 Botrytis cinerea 764, 1043
 Bourdotia deminata 1066
 Bovista 39
 Brauniellula 1129
 Buellia 837; haliotrepha 837
 Bulgaria inquinans 206
 Byssochlamys 1042; fulva 1040, 1042; nivea 195
 Byssomerulius 801
 Calonema 409
 Calvatia 1226; bovista 1228; depressa 1229; pallida 1228; subpratensis 1229; utrififormis 1228
 Calycella 162
 Camarops 864
 Camillea 864
 Campbellia 809
 Candida 180, 197, 198; albicans 179, 610; guilliermondii 179; krusei 179; parasilopsis 179; scottii 129; stellatoidea 179; tropicalis 179, 198
 Cantharellus 1074, 1075; sect *Cutirellus* 1075; *cibarius* 1075; *cuticulatus* 1075
 Capnites 1180
 Capnodium 1188; diospyri 1193; eugenicolum 1181; heteromeles 1188; javanicum 1173, 1179, 1180, 1186, 1191-1193, 1200, 1205
 Capnophaeum 1186
 Cavostelium 1061; apophysatum 1060; bisporum 132-143, f 133, f 134, f 135, f 137, f 138, f 139, f 140, f 141, f 142, 1060
 Cenococcum 1210-1212; graniforme 317, 403, f 1211, 1212
 Cephalosporium 924, 1067; mycophilum 709
 Ceratiomyxa 413; fruticulosa 413-416, f 414, f 415, 1064
 Ceratobasidium 1066
 Ceratocystis 5-15, 387-402, 921; abio-carpa 14; adiposa 390-393, 399; ambrosia 11, 389, 391, 394, 396; auracariae 389, 393, 398; brunnea 390, 392, 394, 397, 399; brunneociliata 390, 393, 398; brunneocrin-ita 11; cana 389, 393, 397; capil-lifera 389, 394, 397, 398, 399; catoniamum 390, 394; clavata 390-393, 397, 398; coerulescens 14, 390, 393; ***distorta* f 6, f 8, f 9, 10, 11**; dryocetidus 389-394; ***epigloeum* 921, f 922, 923, 924**; europhoides 14, 389, 391, 393, 395; fagacearum 387, 390, 393, 1042; fagi 390, 394, 398; fimbriata 387, 390, 393, 395, 399; ***franke-grosmaniae* 6, f 6, 7, f 9**; galeiformis 390, 393, 395, 398, 399; ***gossypina* f 6, f 9, 12, 13**; var ***robusta* f 9, 13**; huntii 389, 393, 396; ips 15, 389, 393, 398, 399; leptographioides 7, 389, 396, 398, 400; major 390, 393, 399; megalobrunnea 5, 389, 394, 397; minor 389, 391, 394, 397; minuta 389, 391, 394, 396; minuta-bicolor 389, 394, 396; moniliformis 390, 393, 395, 399; montia 394; multiannulata 389, 394; narcissi 389, 394, 397; nigra 15, 390, 394, 395, 399; nigrocarpa 389, 394; obscura 390, 393, 395, 396, 398, 399; olivacea 10, 14, 387, 389, 391, 393, 396, 398, 399; ***olivaceapini* f 6, 7, f 8, f 9, 10**; paradoxa 388, 390, 393; penicillata 389, 393-396, 399; perfecta 389, 394, 397; per-parvispora 394; piceae 389, 393, 397, 398; pilifera 11, 390, 394, 398, 399; pluriannulata 11, 390, 394, 398, 399; polonica 390-393, 398, 399; populina 389, 394; radicola 390, 393; sagmatospora 10; ser-pens 389, 393-396; seticollis 5, 389, 394-396; ***sparsa* f 6, 14, f 9**; stenoceras 12, 390, 394, 399; tetropii 389, 394; tremulo-aurea 389, 394, 397, 398; ulmi 387, 390-393, 397, 398
 Cercospora 689, 691; beticola 640, 641; cestri 691-693; cestri-parquii 691, 692; diodiae 1067; fusimaculans 1067; koepkei 689; uredinicola 689; ***uromycestri* 689-691-693, f 690**

- Ceriosporopsis 858
 Ceriporiopsis 43; placenta 45
 Cerrina unicolor 1066
 Chaetasterina 1188; anomala 1186
 Chaetomidium 917
 Chaetomium 430, 763, 917, 1030, 1040, 1044, 1212-1217; brittanicum 1217; cochlioides 455, 1042; minutum 1215; parvotrichum 1215; **rectopilium** 1213, f 1214, f 1215, 1216; thermophile 1217; var coprophile 541, 542, 676-678, 1030-1045, f 1033; thermophile var dissitum 541-544; virginicum 1217
 Chaetopotiis coracinum 1203
 Chaetothyrium 1177-1181, 1206; anomala 1186; domingense 897; guaranitum 1174, f 1175, 1181; hawaiiense 1201, 1206; heteromeles 1187, 1189; javanicum 1191, 1204; permixtum 898
 Cheilymenia 98
 Chloridium chlamydosporis 1067
 Choanephora circinans 907, 908
 Chondrostereum 790
 Chroogomphus 355, 1129-1134
 Chrysosporium 195
 Chytridium polysiphoniae 83
 Chytriomycetes 91; hyalinus 92; tabellariae 91
 Ciboria 159; subg Stromatinia 165; amentacea 159; caucus 159; fructicola 161; pseudotuberosa 165
 Ciborinia 157, 159, 160, 163; bifrons 159; whetzelii 160
 Cienkowskia reticulata 1064
 Circinella linderi 907
 Cladoderris rickii 805
 Cladosporiella 689; cercosporicola 689; uredinis 689
 Cladosporium 691; aecidiicola 691; uredinicola 691; urediniphilum 691
 Clastoderma 925-927; debaryanum 925, 926, 1064; pachypus 925
Clastodermataceae 926
 Clathrus chrysomyelinus f 895, 897; delicatus f 895, 897; **oahuensis** 893-896, f 894, f 895, 897; preussii f 895, 897
 Clavariadelphus 1073-1076; borealis 1073, 1075; cibarius 1075; fistulosus 1074, 1075; junceus 1074; ligula 1074, 1075; mucronatus 1074, 1075; pistillaris 1073; sachalinensis 1074, 1075; truncatus 1075; truncatus var lovejoyae 1073
 Clavariopsis bulbosa 253, 256
 Claudopus subargillaceus 357, 361
 Claviceps 305; purpurea 290-307
 Clitocybe 1073, 1074
 Clostridium tetani 1232
 Coccodiscus quercicola 1026
 Coccoidea quercicola 1026, f 1027
 Cochliobolus cynodontis 548; sativus 702, 710
 Codinaea 247; **gonytrichodes** 245, f 246, 247
 Coemansia 1046-1050; aciculifera 287, 288; erecta 287, 288; **nantahalensis** 1047, f 1047, f 1048, 1050; spiralis 1046, 1050
 Cokeromyces poitrasii 907, 908
 Coleosporium elephantopodus 1066
 Collybia albipilata 377, 378; velutipes 761
 Columnocystis 790
 Comatricha 1064; elegans 1064; fimbriata 1064; laxa 1064; nigra 1064; solitaria 1064; subcaespitosa 1064; suksdorfii 1064; typhoides 1064
 Coniochaeta 1065
 Coniophora 226, 1066; puteana 813
 Cookeina 101
 Coprinus 763; lagopus 39, 745-766, f 746, f 748, f 751, f 753, f 755, f 757, f 758, f 761, f 763; sassii 633
 Coprotinia 160; minutula 160
 Cordyceps 1065; capitata 319; ophioglossoides 319
 Coriolus 42; versicolor 46, 1066
 Cornuvia 409
 Corollospora 833, 839, 845, 858; maritima 833, 839, 855; pulchella 253, f 254, f 255, 256, 833, f 834, 855; trifurcata 833, 839, 855
 Corticium 430, 938, 947, 956; fuciforme 955; lepidum 810; lividum 811; scirpinum 953; typhae 953
 Cortinaria 1133; viscida 1155; atropuncta 1153
 Cortinarius 1130
 Corynebacterium diphtheriae 1232
 Cotylidia 790
 Craterium leucocephalum 1064; paraguayense 1064
 Crepidotus 1066
 Cribraria aurantiaca 1064; languescens 1064; microcarpa 1064; minutissima 1064
 Crinipellis zonata 1066
 Cryptococcus 41, 130, 180; laurentii 179
 Cubonia 430
 Cudoniopsis 166
 Culcitalna achraspora 244, 245, 847, 855
 Cunninghamella 288; echinulata 287; elegans 287, 597, 907
 Curvularia 381; protuberata 1067
 Curvulariopsis 380
Cyanodiscus 1080-1083; **occidentalis** f 1081, f 1082, 1083
 Cyathus 736-744; africanus 736-743; helenae 736, 739, 740, 743; striatus 736, 739, 740, 743

- Cylindrocladium* 575-578; *parvum* 575; simplex 575-578, 578; var *microchlamydosporum* 575-578, 580
- Cylindrosporium* 1067; *tenuisporum* 1067
- Cymatoderma* 790, 1066
- Cystogomphus* 1129, 1132, 1134; *humblotii* 1132
- Cystostereum* 790
- Cytospora* 848; ***rhizophorae*** 847, f 849, 850, 855
- Dacrymyces abietinus* 1066
- Dactylaria fusiformis* 243, f 243
- Daedalea* 42, 43; *confragosa* 39, 41, 42, 44, 46; *juniperina* 1066; *quercina* 42, 45, 1066
- Daedaleopsis* 42; *confragosa* 1066
- Daldinia* 456
- Dendrothele candida* 1066
- Dendryphion laxum* 238; *nanum* 237, f 238
- Dentinum* 1067-1072, 1099-1128; *albidum* 1118; *repandum* 1068; var *album* 1113, f 1116, 1117, 1118, f 1126; var ***macrosporum*** 1113, 1115, f 1116, 1117, 1120, f 1126; var *repandum* 1113-1120, f 1114, f 1126; *rufescens* 1068; *umbilicatum* 1113-f 1119, f 1126
- Dermia* 3
- Deslandesia* 1181, 1185, 1200; *ficina* 1192, 1197; var *microspora* 1205, 1206; *honoluluensis* 1189, 1206; *javanica* 1191, 1192, 1194, 1202; var *cyperi* 1193; var *harana* 1194, 1197, 1202; *longispora* 1207; *pacifica* 1207; *paulensis* 1197, 1202; var *malloti* 1200; *roseospora* 1207
- Desmazierella* 101; *acicola* 101
- Diachea leucopodia* 1064; *radiata* 1064
- Diaporthe lokoyae* 572
- Diatrype* 1065; *discincola* 865; *discreta* 865
- Dictyostelium discoideum* 597, 905
- Dictyuchus* 30; *monosporus* 22-30
- Dictydium cancellatum* 1064
- Dictyophora duplicata* 1066
- Diderma* 637; subg *Leangium* 637; *asteroides* 639; *deplanatum* 507, 510; *effusum* 1064; ***gigantocolumellae*** 634-637, f 635, f 638, 639; *lyallii* 506, 507, 515; *hemisphaericum* 639; *niveum* 507; ***subasteroides*** f 636, 637-639, f 638; *trevelyani* 513, 514; var *nivale* 514
- Didymium* 490, 491, 512; *aurantipes* 490; *dubium* 513; *geaster* 513; *granuliferum* 491, 500, 502, 503; *iridis* 308-316, f 310, f 311, f 312, f 314, 594, 599, 902, 904, 1003; *leoninum* 496, 497, 507; *nicicolum* 512, 513, 597, 600; *ovoideum* 1064; *quitense* 513; *reticulatum* 514; *rufipes* 495; *serpula* 1064; *subcastaneum* 513; *tigrinum* 491, 493; *trachysporum* 1065; *versipelle* 495
- Didymosphaeria enalia* 833, 845, 855; *rhizophorae* f 834
- Diploschistes* 422-426; *actinostomus* 422-425; var *farinosus* 422-424; *bryophilus* 422-425; var *iridatus* 424; *caesioplumbeus* 422, 424; *gypsaceus* 422, 424; *ocellatus* 422, 424; *scruposus* 422-425; var *violarius* 422, 424; *stramineus* 422-425; *tenuis* 422, 423
- Drechslera* 380, 381
- Durandiella* 3
- Echinostelium* 143, 925-927, 1051-1061; ***lunatum*** 1051, f 1052, f 1054, 1056, 1059, 1060; *minutum* 882, 1065; *roseum* 1059
- Eichleriella macrospora* 1066
- Elaphomyces* 317, 319; *asperulus* 318; *granulatus* 318, 319; *reticulatus* 319; *variegatus* 319
- Elfvigia* 42, 47; *applanata* 46, 48
- Embellisia* 381, 382, 386
- Elletevera* 689; *parasitica* 691
- Ellisiopsis* 565; *portoricensis* 565; *gallesiae* 565
- Embellisia*** 380; ***allii*** 382, 381-385, f 383; ***chlamydospora*** 384, f 385
- Endemosarca*** 877, 878-883; ***hypsalyxis*** 878, f 879, 880-883; ***ubatus*** 878, f 879, 880-883
- Endemosarcidae*** 877
- Endogone* 674; *calospora* f 673, 674; *fulva* 318; *gigantea* 674; *mosseae* 1222-1226, f 1224
- Endomycopsis* 994, 995; *bispora* 995; *monospora* 112; *platypodis* 112, 995
- Endophragma australiensis* 238, f 239
- Endothia gyrosa* 1065
- Enerthenema* 926; *berkeleyanum* 1065; *papillatum* 1065
- Entomophthora grylli* 1022
- Epibelonium* 1083
- Epipolaeum* 1065; *erysipheoides* 1065
- Epithele* 937-957; *bambusina* 938; ***capitata*** 938, 941, 942, 943, f 945; *dussii* 937-947, f 945, 950, 955; *fuciformis* 938, 955; *fulva* 938, 942, 945, f 945, 946; *galzinii* 938, 942, 946, 951; *glauca* 938, 956; *hydroides* 938-941, f 945, 947, 950; *horridulum* 938, 941, 947; *interrupta* 938, 942, 947, f 949, 954; ***macrospora*** 938, 941, 949, f 949, 955; *nikau* 938, 942, f 949, 950; *nivea* 938; *ochracea* 938, 941, 951; *straminea* 938; *sulphurea* 938, 941,

- 947, f 949, 951; typhae 939-942, 949, 953, f 953, 954; **vermifera** 938-941, 945, 950, f 953, 954
- Erinaceus* 1070, 1071
- Eriocercospora* 380, 689, 691; *bal-ladynae* 691
- Escherichia coli* 40, 432, 902
- Eutrybliidiella hysterina* 1065
- Fomes* 42, 43; *cajanderi* 722-735, f 730, f 732; *fraxineus* 42, 44, 46; *frax-inophilus* 42, 46; *officinalis* 42; *pinicola* 42; *roseus* 724-727
- Fomitopsis* 42; *pinicola* 45
- Fuligo* 1067; *septica* 660, 669-671, 1065
- Fusarium* 643, 736; *culmorum* 643; *oxysporum* 628, 1220; f sp *batatas* 472; f sp *lini* 474; *solani* 462-477; f *phaseoli* 643; f sp *batatas* 474; f sp *melonis* 474; f sp *phaseoli* 462-477, f 465; f sp *pisi* 474; *udum* 473
- Ganoderma* 42, 48; *applanatum* 42, 47; *lucidum* 48; *tsugae* 42, 46-48
- Gautieria chilensis* f 321-f 324; *mexi-cana* f 321-325
- Geastrum* 1066
- Geastrumia* 897-901; *polystigmatis* 897-901, f 899, f 900
- Genea* 322; ***asperula*** 319, f 321; *inter-media* 322
- Geopora cooperi* f *cooperi* 322
- Geopyxis* 166, 1084, 1085
- Gerronema strombodes* 1066
- Gibberella zeae* 626, 641-643, f 642
- Gliocephalotrichum* 575-585; *bulbium* 575-578; ***cylindrosporium*** 578, 582, f 583; ***microchlamydo*** 578, 580, f 581; ***simplex*** 578, f 579
- Gliocladium* 1067; *deliquescens* 1067
- Gloeocystidium* 938
- Gloeophyllum* 42, 48; *sepiarium* 45, 48, 77, 1066
- Gloeoporus dichrous* 816, 1066
- Gloeosphaera* 890; *clerciana* 890-893, f 893; *globuligera* 890, 891; *minor* 891
- Gloeosporium podophyllum* 164
- Glomerella cingulata* 464
- Glonium clavispurum* 1065
- Godronia* 3
- Gomphidius* 1129-1163, 1133, f 1140; *subg Myxogomphus* sect *Macro-sporus* 1155; sect *Gomphidius* 1129, 1130, 1155; sect *Microsporium* 1129, 1130, 1135; sect ***Roseogomphus*** 1129, 1130, 1146, 1154; *furcatus* 1153; *glutinosus* 1134, 1135, 1147, 1148, 1155, 1156, 1160, 1162; *var glutinosus* f 1138, f 1140, f 1152, 1155, 1158, 1159; *var purpureus* f 1138, 1155, f 1157, 1158; *var sal-moneus* f 1138, 1155, 1159; *var xanthobasis* 1162; *gracilis* 1153; ***largus*** 1135, f 1139, 1159; *macu-latus* 1135, f 1137, f 1151, f 1152, 1153, 1162; *var furcatus* 1153; *var gracilis* 1153; f *gracilis* 1153; *spp gracilis* 1153; *nigricans* 1135, f 1137, 1147, 1149, 1153; *oregonensis* 1135, f 1136, f 1140-f 1142; ***pseudomacu-latus*** 1135, f 1136, f 1142, 1144; *roseus* 1135, 1147, 1148, 1149; *rutil-us* 1134; *septentrionalis* 1146, 1148; *smithii* 1135, f 1139, 1156, f 1157, 1161; *var xanthobasis* 1161; *stillatus* 1162; *subroseus* 1135, f 1137, f 1140, f 1145, 1146-1149, 1153; *var homobasis* 1146; *tomentosus* 1133
- Gomphus* 1133; *glutinosus* 1134
- Gongronella* 288; *butleri* 287, 288
- Gonytrichum* 247
- Grandinia* 430; *glauca* 956
- Graphium* 14, 387-402; *album* 389, 394; *aureum* 389, 394; *cartwrightii* 390; *erubescens* 389, 394; *fragrans* 389, 396; *fruticolum* 390; *rigidum* 389; *rubrum* 390; *silanum* 389, 396; *xanthocephalum* 390
- Guepinia* 232
- Guignardia fagi* 572
- Gymnoascus* 198, 201; *flavus* 195; *luteus* 195; *reessii* 192; *subumbri-nus* 200; *umbrinus* 199, 200; *var thaxteri* 200; *verticillatus* 198, 199
- Gymnopus albipilatus* 378
- Gymnosporangium floriforme* 1066
- Haematostereum* 790; *rugosum* 796
- Haligena* 858; *claterophora* 259, 858; *spartinae* 258, f 258, 259; *viscidula* 256, f 257
- Haliphthoros* 174
- Haloguignardia* 859
- Halosphaeria* 858, 859; *circumvestita* 857; *mediosetigera* 857; *quadri-cornuta* 844, 857; *torquata* 857
- Hansenula* 180, 995; *anomala* 179
- Haplosporangium decipiens* 287, 288
- Harpella melusinae* 914
- Harpochytrium* 767-789; *hedinii* 767-789, f 769, f 770, f 772, f 773, f 776, f 778, f 780, f 782, f 784
- Heimerlia* 882; *hyalina* 882
- Helicoma taenia* 1067
- Helicostylum pyriforme* 907
- Helminthosporium* 380, 381, 558, 1067; *allii* 380-382-386; *balladynae* 380; *carbonum* 626; *cymbispermum* 380; *cynodontis* 548-561; *flagelloideum* 380; *oryzae* 548, 558; *ravenelii*

- 1067; sigmoideum 380; turcicum 626; vesicarium 380
Helmisporium nanum 237, 238
Helotium herbarum 1065
Helvella elastica 417; ephippium 417; lacunosa 417-421; pulla 417
Hemitrichia 409; stipitata 1065
Hericium 1068, 1069, 1099-1128; stirps
Coralloides 1103; stirps *Erinaceus* 1104, 1112; stirps *Ramosum* 1104, 1109; *abietis* 1104-1107; f *abietis* f 1102, 1104, 1107, 1108, f 1125; f **alpestre** 1104-1108, f 1125; f **brevispineum** 1104, 1108, f 1125; f **weirii** 1104-1107, 1108, f 1125; *alpestre* 1105-1108; *caput-ursi* 1105; f *brevispineum* 1107; *coralloides* 1103-1105; *erinaceus* f 1114, 1112, f 1125; *laciniatum* 1109, 1111; *ramosum* 1105, 1111, 1112; f **caput-ursi** 1109, f 1110, 1111, f 1125; f *ramosum* 1109, f 1110, 1112, f 1125; *weirii* 1107
Herpostrichiella spinifera 1065
Heterochaete 938, 956
Heterochaetella dubia 1066
Hirschioporus abietinus 1066; *paragamenus* 1066
Histoplasma capsulatum 432-434, 478, 610, 819, 824, 1164-1172, f 1167, f 1168
Hormonema dematioides 572
Humicola 544; *grisea* var *thermoidea* 541-544, 676, 677; *insolens* 676, 677; *lanuginosa* 541-545, 676, 677
Hyalospora polypodii 277-282
Hyalotia 663; *camelliae* 666; *celastri* 666; *exilis* 666; *lateripes* 666; *laurina* 666; ***pistacina*** 663-667, f 664, f 665; *thujae* 666, 667; *viridis* 666
Hydnangium carneum 325
Hydnellum 1101
Hydnoporia fuscens 1066
Hydnum 1067-1072, 1101, 1118; *abietis* 1104, 1105; *albidum* 1069; *auriscalpium* 1068, 1069; *caput-ursi* 1111; var *brevispineum* 1108; *coralloides* 1068, 1069; *imbricatum* 1068-1070; *nigrum* 1120; *obtusum* 1069; *ochraceum* 1069; *repandum* 1068-1071, 1113; var *album* 1117; *rufescens* 1070; *tomentosum* 1068, 1069; *umbilicatum* 1118; *washingtonianum* 1113
Hydronectria tethys 835, 855
Hygrophorus chrysodon 403-405, f 404
Hymenochaete 46; *corrugata* 1066; *rubiginosa* 1066
Hymenogaster farinaceus 325; *variegatus* 327
Hypoderma puberum 1066
Hypochnus 937, 956; sect *Epithele* 937; *dussii* 937, 943; *fuciformis* 955; *typhae* 937, 953
Hypocrea farinacea 1065; *olivacea* 1065
Hypomyces 416-421; *aurantius* 421; ***cervinigenus*** 418, f 420, 421; *cervinus* 416, 417; *lactifluorum* 421; *polyporinus* 421
Hypoxylon 206, 211, 456, 862, 863, 1065, 1067; sect *Applanata* 864; *broomeianum* 871; *deustum* 1065; *discretum* 865; *fragiforme* 206, 207, 211, 1065; *investiens* 1065; *microplacum* 1065; *notatum* 1065; *nummularium* 862, 863; *ovinum* 871; *punctulatum* 1065; *repandum* 869; *rubiginosum* 1065; *serpens* var *effusum* 1065; *stygium* 1065; *truncatum* 1065
Hysterangium separabile 326
Inonotus 42; *dryophilus* 46
Isaria 201, 956; *cretacea* 295; *fuciformis* 955; *graminiperda* 955; var *fuciformis* 955
Keissleriella blepharospore f 834, 835, 844, 850, 855, 856
Kneiffia typhae 953
Kommamyce 863
Kymadiscus 837; ***haliotrephus*** f 834, 837, 855
Laetiporus 42; *sulphureus* 45, 1066
Lagenidium 171-174, 779, 786
Lagenisma 174; *coscinodisci* 171-174, f 173
Lambertella 157, 160; *corni-marit* 160
Lamproderma 926; *arcyriomema* 1065
Laricifomes 42; *officinalis* 45
Laxitextum 790; *bicolor* 1066; *roseo-carneum* 1066
Leangium squamulosum 495
Leccinum 261-276; sect *Leccinum* 262; sect *Scabra* 262; subsect *Leccinum* 262; subsect *Pallida* 263; subsect *Scabra* 263; subsect *Versicolores* 262; ***armenicum*** 262, 268; *aurantiacum* 261-265, 272; ***brunneum*** 263, 269, 270; ***californicum*** 263, 273; *clavatum* 269; *discolor* 262-265; *fibrillosum* 270; *holopus* 274; *insigne* 270; var ***brunneum*** 263, 272; var *insigne* 263; ***manzanitae*** 261, 266; var ***angustisporae*** 262, 267; var *manzanitae* 262; ***montanum*** 263, 274, 276; *obscurum* 270; *scabrum* 276; *subspadiceum* 270
Lentescopora 858; *submarina* 838, 855
Lentinellus 333-369; *americanus* 365; *bisus* 367; *castoreus* 351; *cochleatus* 336, f 337, 343, 343, 347, f 348,

- f 349, 350; *cornucopioides* 345; *crawfordii* 366; *cremeus* 366; *flabelliformis* 336, f 338, 341, f 343, f 347, 357, 360, 365-368; *hepatotrichus* 366; *hyacinus* 366; *laurocerasi* 367; *montanus* 333-336, f 338, 350, 361, f 362, 363-365; *omphalodes* 336, f 337, 339, f 341, 343, f 344, f 347, 361; *pallidealutaceus* 367; *pilatii* 336, 350, 364, 365; *pulvinulus* 368; *pusio* 351; *semi-vestitus* 336, f 337, 341, 343; *umbilicatus* 345; *ursinus* 336 f 338, f 341, f 343, 350, 351, 355, 356, f 359, f 360, 363-367; *vulpinus* 336, f 337, f 341, 345, f 347, 351, f 352, f 353, 363, 365
- Lentinus* 1066; *anastomosans* 351, 357; *omphalodes* 336; var *africans* 357; *pulvinulus* 368; *umbilicatus* 345; *vulpinus* 347
- Lenzites* 42, 43; *betulina* 42, 46; *saepiaria* 42, 48, 761; *trabea* 42, 48, 732
- Lepidoderma* 490-516; **aggregatum** 493, 499, 500, f 505, 506, 511, 512; *caretianum* 491, 493, f 501, 502, 503, 507, 509-515; f *brunnescens* 507; f *caesium* 510; f *calcite-partie* 510; f *discina* 510; f *plasmodiocarpa* 510; f *pulverulenta* 507; f *roseum* 507; var *granuliferum* 500, 502; var *chailletii* 507; var *flavescens* 507; *chailletii* 491, 507-510, 515; *crustaceum* 491, 493, f 494, 498-500, 512; **didermoides** 493, 502, 503-507, f 505; *fulvum* 495-497; *geaster* 513; *granuliferum* 490, 491, 493, f 494, 499-503, f 501, 509, 515; *kurzii* 513; *mandshurica* 513; *obovatum* 513, 514; *peyerimhoffii* 514; *reticulatum* 514; *stellatum* 514; *tigrinum* 490-493, f 494, 496, 497, 506, 507, 514; f *brevipes* 497; f *gracile* 495, 497; f *longipes* 497; f *microcarpon* 495, 497; f *tigrinum* 497
- Lepidodermopsis* 492; *vermicularis* 514, 515
- Lepiota* 79-82, 761; sect *Ovisporae* 82; *capaestipes* var *lutea* 1066; **luteophylla** 79, f 80; *neophana* 82
- Leptographium* 7, 14, 392-396, 585
- Leptosphaeria* 838, 1065; *australiensis* f 835, 838, 848, 855; *avenaria* f sp *triticea* 958-963, f 961; *avicenniae* f 835, 838, 851, 853, 855; *michotii* 1065; *senegalensis* 616
- Leucogaster magnatus* 326
- Licea* 660-662; *kleistobolus* 662; *minima* 1065
- Lignincola laevis* f 837, 838, 839, 855, 858
- Limacinia* 1180; subg *Limacinula* 1185; *heteromeles* 1187, 1189; *javanica* 1178, 1179, 1181, 1191
- Limaciniella psidii* 1206
- Limacinula* 1173-1209, f 1174; **anomala** 1186, f 1187; *butleri* 1180, 1186, 1189, 1190, 1195; *callitris* 1207; *caucasica* 1192, 1194; *cistophila* 1207; *citricola* 1207; *costaricensis* 1207; *crouani* 1207; *cupularis* 1207; *depressa* 1181; *diospyricola* 1207; *ficicola* 1207; *indica* 1207; *javanica* 1179, 1181, 1186, 1190, f 1191-1195, 1200, 1205; *malloiti* 1197, 1200; *melioloides* var *eugenicola* 1181; *meridionalis* 1207; *minima* 1207; **musicola** f 1177, 1186, f 1187, 1194; *oleae* 1207; *quitensis* 1187; *roseospora* 1180, 1181, 1202; *salicis* 1207; *samoensis* 1173, f 1176, 1177, f 1177, 1178, f 1178, 1179, 1181, 1186, 1192, 1193, 1197, 1198, 1201-1206; *sapotae* 1199; *tenuis* 1181, 1197-1200; *theae* 1180, 1186, 1202, 1205, 1206; *zantedeschiae* 1197, 1181, 1201
- Linderina* 410; *macrospora* 287, 288, 410-412, f 411; *pennisporea* 412
- Lindra* 840, 858; *marinera* 839, 840, 855; *thalassiae* 839, 840
- Listeromyces* 213; *insignis* 213-218, f 215, f 216, f 217
- Lopharia* 790
- Lophotrichus* 917
- Lulworthia* 840, 844, 848, 856-859; *grandispora* 839, 840, 855
- Lycogala epidendrum* 1065
- Lycoperdon* 1226-1230; *calvescens* 1227, 1229; *cruciatum* 1230; *ericaceum* 1228; *marginatum* 1227, 1230; *musicorum* 1228; *pratense* 1226-1229; *subpratense* 1226-1230
- Macbrideola* 1065; *cornea* 1065; *scintillans* 1065
- Macrophoma* 850, 855
- Malbranchea pulchella* var *sulfurea* 677, 678
- Manglicola** 840, 841; **guatemalensis** 841, 843, f 843, f 846, 855
- Marasmius* 1066; *oreades* 671, 672; *siccus* 1066
- Maravalia* 1090; *ascotela* 1090; *elata* 1090; *hyalospora* 1090
- Martinia* 160, 161, 648; *panamaensis* 160
- Martininia* 160, 161, 648-652; *panamaensis* 649, 651; **tetraspora** 649-652, f 650
- Melampsora euphorbiae* 1019-1023; *lini* 1019-1023

- Melanogaster ambiguus* 326; **umbri-nigleba** 317, f 321, 327; *variegatus* var *mexicanus* 317, 327
Melanoma 1065
Melanospora 430, 1040
Meliola 1189; *amphitricha* 1065; *heteromeles* 1187
Meliolopsis heteromeles 1187-1189
Merulioportia 43, 226; *taxicola* 45
Merulius 219-236, 800-818, 1066; *albostramineus* 801, f 802, 803, 815; *ambiguus* 220, 221; *americanus* 227; *armeniacus* 223, 803; *atropurpureus* 801, 803; *aurantiacus* 803; *aureus* 221; *baileyi* 221, f 222; *belus* 221, f 222, 223; *binominatus* f 802, 803; *ceracellus* 223, 224; *confluens* 225; *corium* 220, 221, 225, 228, 232, 803-805, 811, 812, 816; *crassus* 225; *crispatus* 813; *densus* 804; *dubiosus* 804; var *coriaceus* 804, 805; *flavescens* 805; *fuscus* 805, f 807; *fusisporus* 807; *fugax* 220, 813; *gelatinosus* 807, 808; *glaucus* f 802, 808; *gloeoportus* f 807, 808; *gossypinus* 809; *haedius* 224, 225; *hirtellus* 223, 801; *incrassatus* 225, 226, 232; *infundibuliformis* 809; *insignis* 803, 809, 810, 814; *interruptus* 810; *lacrimans* 227; var *tenuissimum* 226; *lacticolor* 227; *lepidus* 810; *lignosus* 227; *lividus* 810, 811; *moelleri* 811; *molluscus* 227, 233, 803; var *microspora* 811; *nothofagi* 812; *ochraceus* 804; *pallens* 223; *patellaeformis* 228; *pelliculosus* 812; *phlebioides* 812, 813; *polychromus* 813; *porinoides* 223, 801; var *misera* 813; *pseudolacrimans* 814, 815; *purpureus* 814; *ravenelii* 229; *rimosus* 229; *rubicundus* 801, 815; *rufus* 228, 808-813; *rugulosus* f 222, 230; *serpens* 223, 224, 229, 801, 804, 811-814; *similis* 230, 231, 803, 810, 814, 817; f *pileata* 814, 815; *sordidus* 231, 232; *spadiceus* f 222, 232; *spissus* 232; *sterioides* 815, 816; *stratosus* 804; *subambiguus* 804, 816; *taxicola* 229; *tenuissimus* 233; *terrestris* 233; *tessellatus* f 807, 816, 817; *versiformis* 233; *wrightii* 234; *xylostromatoides* var *chromorufa* 817
Metarrhizium 704; *anisopliae* 701-712, f 705, 713-721, f 714, f 716, f 718
Metasphaeria 838; *australiensis* 838; *punctulata* 1065
Micrococcus 180
Micromyces 91
Micropeltis 1176; *applanata* 1176
Microstoma 101
Monilia 161; *fruticicola* 161, 1086
Monoblepharella 771, 779, 781, 783, 785
Monochaetia 666
Mortierella 288, 826; sect *Mutabilis* 830; sect *Spinosa* 830; *acuminata* 287, 288; *bainieri* 287; *elongata* 287; *isabellina* 907; *lignicola* 287; *marburgensis* 287; **nantahalensis** 826, f 827, f 828; *ramanniana* 287, 288; *spinosa* 826; *zonata* 287
Mucor 288; *bacilliformis* 907, 908; *dispersus* 287; *fragilis* 287; *genevensis* 287; *kanivecevi* 128; *lamprosorus* 287; *miehei* 676, 677, 907, 909; *mucedo* 129, 287; *pusillus* 676, 677, 907, 909; *rouxii* 907, 908; *silvaticus* 287; *strictus* 128; *subtilissimus* 287; *varians* 287
Mycena 367, 1066; *wyomingensis* 378
Mycogone cervina 416-421
Mycosphaerella 564; *pneumatophora* 843, 851, 853, 855
Mycotypha microspora 907, 908
Myriococcum albomyces 676-678; *praecox* 430
Myrioconium 163
Myriosclerotinia 158, 163
Myrmecocystis compacta 322
Myxotrichum 201; *brunneum* 199, 200, 201; *emmonsii* 200; *thaxteri* 199, 200, 201
Naetrocymbe 1178, 1202; *depressum* 1197, 1201; *diospyri* 1191, 1193; *inspersum* 1198, 1203, 1204; *lafoensiae* 1194; *mauritiae* 1197, 1203; *perparum* 1197, 1201-1204; *quiten-sis* 1187; *stevensonii* 1187, 1188
Nais inornata 858
Nakaiomyces 920
Narasimhella poonensis 192, 194
Nautosphaeria 858
Nectria lactea 1065; *stenospora* 709
Nematoctonus 242; *lignicola* 242
Neta 239, 242; **patuxentica** f 240, 241, f 241, 242
Neurospora 430, 1040, 1042; *crassa* 1043, 1171; *sitophila* 678, 1043; *tetrasperma* 1041-1043
Nia vibrissa 845, 847, 855, 857
Nigroporus vinosus 1066
Nocardia 175-177; *asteroides* 175, 459-461
Nowakowskiella 771, 779, 783, 785; *hemisphaerospora* 89
Nummularia 456, 862-876; *artocreas* 864; *baileyi* 864; *broomeiana* 864, 865, 871, f 871, f 874, 875; *bulliardi* 862, 863; *cincta* 871; *diatrypeoides* 864; *discincola* 863-865, f 867, 873, f 874; *discreta* 863, 865, 867, 869; *dryophila* 862; *emergens* 871; *ex-*

- cavata 865; guaranítica 864; kalchbrenneri 864; lucidulum 864; pezizoides 869; pusilla 864; repanda 864, 865, 869, f 869, 873, f 874; **signata** 865, f 872, **873**, f 874, 875; venezuelensis 864
- Numulariola 863, 864; atropunctata 863; broomeana 871; discreta 863, 865; kalchbrenneri 864; nummularia 863; repanda 863, 869
- Octospora tuberosa 163
- Odontia 1065, 1068, 1069; corrugata 951
- Oidiodendron 602, 603, 609, 610; cerealis 602, 603; chlamydosporicum 603; citrinum 602; echinulatum 602; flavum 602; fuscum 602; gracile 603; griseum 602; **kalrai** 602-603-611, f 606, f 607, f 608; maius 602; nigrum 602; periconioides 603; pillicola 603; rhodogenum 602; tenuissimum 602; truncatum 602
- Oidium simile 1067
- Oligonema 409; flavidum 1065
- Olpidiopsis paradoxus 83
- Olpidium 779, 781, 783, 786
- Omphalina **cremesea** 366
- Oncocladium flavum 198, 199
- Ophiostoma catonianum 390; fagi 390; pini 1233; stenoceras 390
- Orbilbia leucostigma 1065
- Ovulinia 161; azaleae 161
- Oxydientia 1066; chrysorhiza 1066
- Paecilomyces varioti 195
- Panellus 335
- Panus 1067; badius 1066
- Papulaspora 426-431; byssina 430; **thermophila** 426, f 427, 428, 429
- Paracarpodium 1186, 1196; brevistipitatum 1194, 1196; cephalanthum 1196; pulcherrimum 1196
- Paramoebidium 914
- Paxillus panuoides 221
- Pellicularia chordulata 626; filamentosa 1066; flavescens 626; subcoronata 1066; vaga 1066
- Penicillium 195, 196; brefeldianum 195; megasporum 154, 763; spiculispurum 196; striatum 1042; urticae 559; vermiculatum 195, 196
- Peniophora 791, 937, 939, 947, 1066; dussii 937, 939, 943, 950; laurentii 810; limitata 1066; longispora 1066; ludoviciana 732; vermicularis 943; vermifera 938, 939, 954
- Pennella 910-914; grassei 914; hovassi 911, 913; **simulii** 910, f 913
- Perichaena 405-410, 657-663; **brevifila** 657-663, f 658; corticalis 659-661; chrysosperma 660; depressa 660, 661; microspora 409; minor 409, 660; pedata 409; pulcherrima 409, 661; quadrata 660, 661; **reticulospora** f 406, **407**, f 408, f 409; syncarpon 409; tessellata 409; vermicularis 660, 661, 1003, 1010
- Periconia prolifica 844, 850, 851, f 852, 855
- Peridoxylon 864
- Pestalotia 666, 667; lateripes 666; thujae 667; **thujicola** 667
- Peziza subg Tarzetta 165, 166, 1084, 1085; bulgarioides 161, 162; candolleana 160-163; carbonaria 166, 1084; catinus 1085; caucis 159; cupularis 1085; firma 161; rapulum 165, 166, 1084; tarzetta 1085
- Phaeocoriolellus 42, 48; trabeus 45, 48
- Phaeocytoporella zeae 626
- Phaeolus 42; schweinitzii 45
- Phaeopeltis sapotae 1197, 1199
- Phaeosaccardinula 1173-1182, f 1175, 1188, 1190, 1196, 1199, 1200; anomala 1186-1189; butleri 1189, 1190; caucasica 1192; diospyricola f 1175-1180; ficicola 1180; ficina 1197; guajavae 1194, 1195; var citrina 1195; javanica 1181, 1191-1196, 1202; malloti 1197; morindae 1205, 1206; musicola 1194, 1195; samoensis 1177; tenuis 1197, 1199; theae 1205, 1206; vera 1194, 1195
- Phaeostomiopeltis 656
- Phagomyxa algarum 882
- Phakopsora crotonii 1066
- Phellinus 42, 47; stirps Melaleucus 1120, 1121; stirps Niger 1120; stirps Tomentosus 1120, 1124; ferruginosus 46; gilvus 46, 1066
- Phellodon 1099-1128; atratus 1122-1124, f 1126; melaleucus f 1119, 1121, 1122, f 1126; tomentosus f 1123, 1124, 1126, f 1126
- Phillipsiella 1083
- Phlebia livida 1066; sublivida 810
- Phlebiella candidissima 1066
- Phlyctidium 89; anomalum 90; bumilleriae 91; mycetophagum 90
- Phlyctoctratrium 779, 783, 785
- Phoma 851, 855; rhizophorae 851
- Phycomyces 56; blakesleanus 1041; nitens 907
- Phyllachora 1025; graminis 691, 1065; **leae-elatae** 1024, f 1025, 1026; leaeae 1025, 1026; leaeicola 1025, 1026; micheliae 1026, f 1028, 1029; perseae 562-566, f 563
- Physarum 491, 514, 597; auriscalpium 1065; bogoriense 1065; braunianum 1065; cinereum 600; flavicomum

- 594, 600, 1002-1012, f 1004, 1065; globuliferum 1065; nucleatum 1065; polyccephalum 599, 1010, 1065; pusillum 902, 904; squamulosum 493; stellatum 514; tenerum 513; tigrinum 493; viride 1065
- Phytophthora 170, 284, 285, 288, 736, 779, 781, 786, 972-976; cactorum 973; cinnamomi 286, 288; drechsleri 973, 974; helicandrum 288; heveae 286, 288; hydno sporum 288; megasperma var soiae 972-977, f 973; stellata 287
- Piccomphale 161, 162
- Pichia 994-1001, 1013-1018; **crossotarsi** 994, 995-1001, f 996, f 999; dispersa 1013, 1018; **microspora** 994-998-1001, f 996, f 999; **mucosa** 1014, f 1015, 1018; **saitoi** 1013, 1018; **sargentensis** 1014, f 1015, 1016, 1018
- Piedraia hortai 612-618, f 615
- Pileolaria fusispora 1091
- Piptoporus 1065; xenophila 287
- Piptoporus 42; betulinus 45
- Pithomyces chartarum 1086, f 1087, f 1088
- Pithya 101
- Platyglora 1066
- Platyspora pentamera 668, f 668, 669
- Pleospora papaveracea 385
- Pleurotus 335, 1066; **crawfordii** 366; laurocerasi 367; ostreatus 39
- Plicatura nivea 230
- Podosordaria 454, 457; leporina 441-458, f 446, f 448, f 450, f 452, f 453
- Podoscypha 790
- Podospora 455
- Podoxyphium 1206
- Polioteliu hyalosporum 1090; iresines 1090
- Polyporus 42, 43, 1066, 1067; adustus 42, 69-78, f 70, f 72, f 74; arcularius 1066; balsameus 42; betulinus 40-42; brumalis 42, 46; dispansus 964, 965, 967; dryophilus 42, 46; flettii 967; fumosus 42; galactinus 42; gilvus 42, 46; illudens 964, 965; palustris 42; schweinitzii 42; sector 1066; sulphureus 42; tulipiferae 42, 46; versicolor 39, 41, 42
- Polystigma pusillum 897, 898
- Pontisma 174
- Poria 42, 43, 226, 1066; albipellucida 43; carbonica 42, 45; cinerascens 42, 46; ferruginosa 42, 46; monticola 43; placenta 39, 41, 43; radiculosa 1066; rivulosa 43, 46; semitincta 1066; sequoiae 43, 45; tarda 223, 1066; taxicola 43; umbrinella 1066; versipora 1067; weirii 1220
- Poronia 457; leporina 442; oedipus 442, 456; punctata 211, 442, 445, 449, 456
- Proteus morganii 432
- Protosteliu mycophaga var crassipes 133, 142
- Psathyrella 1066; disseminata 761
- Pseudoarachniotus 192, 195, 199; hyalinusporus 192, f 193, 194; marginosporus 192, f 193, 194; roseus 197
- Pseudodiscus 1083
- Pseudohiatula conigenoides 1066
- Pseudomassaria 562-566; **carolinensis** 562-566, f 563; foliicola 564; inconspicua 564; inversa 564; lycopodia 564; occidentalis 564
- Pseudopithyella 101
- Pseudostemphylium 384; chlamydo-sporum 384
- Psilocybe 763, 764; mexicana 988; muliercula 319; wassonii 319
- Puccinia 1090; arachidis 1090; baphiae 1090; caricina 1066; cyperi 1066; ellisiana 1066; eucomis 689; graminis 1022; kraussiana 691; ofuscata 1090; ostryoderridis 1090; pelargonii-zonalis 1019-1023; polysora 1022; recondita 1022; ruelliae 1066; sporoboli var robusta 889; subnitens 889; substriata var substriata 1066
- Pullularia 572
- Pustularia 1085
- Pustulina 1084-1086
- Pycnoporus 43, 47; cinnabarinus 43-46; sanguineus 43-46
- Pyrenochaeta terrestris 154
- Pyrenophora trichostoma 669
- Pyronema confluens 455
- Pythiopsis cymosa 681, f 682
- Pythium 170, 284-288, 517-536, 688, 978-982; adhaerens 518, 519; anandrum 535, 982; angustatum 518, 521, 523; apieroticum 518; artotroque var macracanthum 982; debaryanum 517, 518, f 523, 525, 531-535; dictyosporum 518; **dimorphum** 979, f 980, f 981, 982; dissotocum 518, f 521, 525, 533, 534; echinulatum 518, f 523, 528, 529; gracile 518-521, f 525; helicandrum 286, 287, 982; helicoides 527; heterothallicum 286; hydno sporum 286, 287; inflatum 518, f 521, 525, 526; intermedium 286; irregulare 31-37, 286-288; mamillatum 518, f 523, f 525, 527-529; middletonii 286-288, 518, f 521, 523, f 523, 525, 529, 530; monospermum 518, f 521, 523, 525, 533, 534; papillatum 535; parocandrum 286-288;

- prolatum 982; proliferum 530;
 pulchrum 518, f 525, 529-531;
 rostratum 518, f 521, 523, 525, 529-
 531; spinosum 528; sylvaticum
 286; tenue 518-521, f 523, 525;
 torulosum 286-288, 518, f 521, 526;
 ultimum 518, f 521, 531, 532; var
 sporangiferum 286-288; undulatum
 518, 526, 527, 530; vexans 31-37,
 286-288, 518, f 525, 529
- Radiomyces embreei 907
 Remispora 858, 859; cucullata 844, 850,
 855, 858; hamata 858; maritima
 858; quadrimis 844, 858; salina
 f 837, 844, 845, 855; stellata 858;
 trullifera 858
 Reticularia carestiana 491, 507, 508
 Rhabdospora 853; **avicenniae** 844, 851,
 f 852, 853, 855
 Rhizidiomyces 779, 785; apophysatus
 84, 91
 Rhizidium richmondense 91
 Rhizoctonia solani 620-629
 Rhizophlyctis 91
 Rhizophydium 91, 779, 783; discinctum
 83; discosporum 83, 84, f 86, f 87,
 91; planktonicum 91; sphaerocys-
 tidis 91; sphaerotheca 91; stipita-
 tum 91
 Rhizopogon 328, 331; subg Rhizopogon
 328; sect Fulviglebae subsect
 Megaspori 329; stirps Luteolus
 328; stirps Rubescens 328; luteolus
 328, 329; **michoacanicus** f 321,
 329; mollegleba 329; ochroleuroides
 329, 330; provincialis 330; rubescens
 328; subbadius 330, 331; subgela-
 tinosus 331; semitectus 331; vini-
 color 1210; vulgaris 330
 Rhizopus 288, 909; nigricans 287, 559;
 oligosporus 907, 908; oryzae 907-
 909; rhizopodiformis 907-909;
 stolonifer 907, 908
 Rhodotorula 41, 130, 179, 180; glutinis
 179; minuta 179; rubra 179
 Rodwaya 809
 Rollandina capitata 192
 Rosellinia 456
 Rozella marina 83
 Rutstroemia 158, 161, 162; bulgarioides
 161
 Ryparobius 118, 129; cookei 119, 125
- Saccardia martini 1180
 Saccardinula 1176, 1178; costaricensis
 1178
 Saccharomyces 180; cerevisiae 179;
 fragilis 399; lactis 305; rosei 179
 Saccobolus kerverni 112
- Saprolegnia 684; ferax 680, f 682; ter-
 restris 59, 61, 67, 679-681, f 682
 Sarcodon 1071; repandum 1113
 Schizopora paradoxa 1067
 Schizosaccharomyces 819, 823; octo-
 sporus 819-825, f 821, f 822; pombe
 819, 820, 824
 Schizophyllum commune 723, 731, 759,
 761
 Scleroderma aurantium 403
 Sclerocystis 674; coremoides 674
 Sclerophoma pityophila 572
 Sclerotinia 159-163, 628; subg Botryo-
 tinia 161; bifrons 159, 163; can-
 dolleana 162; convoluta 159; ge-
 ranii 164; scirpicola 163, 164; scler-
 rotiorum 163, 164; tuberosa 163;
 whetzellii 159
 Sclerotium bataticola 620, 626, 627
 Scoliolegnia asterophora 687; blieha-
 mensis 685, 687; subeccentrica 685,
 687
 Scopula 891; hyalina 891
 Scopularia clericiana 890, 891
 Scutellinia 98, 99
 Scytinostroma portentosum 1067
 Seaverinia 164; geranii 164
 Sebacia 938
 Selenophoma 853
 Sepedonium brunneum 1067; chryso-
 spermum 330
 Septoria 700; avenae f sp triticea 958;
 nodorum 962; tritici 962
Septosperma 90, 83-93; anomala 89-
 91; **rhizophidii** 83, 84, f 85, f 86,
 f 87, 89, 90, 91
 Septotinia 164; podophyllina 164
 Serpula 226, 805; eurocephala 231, 234,
 803, 810, 814-817; himantioides
 226, 813; pinastri 232; **similis** 231,
 803, 809, 810
 Setella coracina 1203, 1204
 Shanoriella 1185; celastri 1207; theae
 1205
 Sistotrema 938; brinkmanni 732
 Smittium 914
 Sorataea 1090; **baphiae** 1090
 Sordaria 206, 207, 211, 430, 763, 1040,
 1042; fimicola 104-113, f 107, f 108,
 f 109, f 111, 204-212, f 205, f 209,
 455, 1041; macrospora 205, f 205,
 207, 209, 210
 Sparrowia 90; parasitica 83, 90
 Sphaerellotheca cruenta 1067
 Sphaerella exutans 564
 Sphaeria discincola 863, 865; discreta
 862-865; excavata 865; repanda
 869
 Sphaeronaema avicenniae 853
 Sphaeronema epigloeum 921, 923
 Spongipellis 42; galactinus 46
 Sporidesmium adscendens 1067

- Sporobolomyces* 39, 41
Sporotrichum thermophile 541, 542, 677
Steccherinum 1068-1071; *ochraceum* 1067, 1068
Stemonitis flavogenita 1065; *hyperopta* 1065; *splendens* 1065
Stemphylium 1087
Stenosporea 689, 691; *uredinicola* 691
Stemonitis 597, 926
Stemphylium 380
Stephanosporium 602; *cerealis* 602
Stereopsis 790
Stereum 790-799, 1065, 1067; *abietinum* 1219, 1220; *albobadium* 1067; *australe* 794, 797; *beigehyemium* 797; *complicatum* 795, 796, 1067; *crassum* 790, 791; *fasciatum* 794; *frustulatum* 791-794; var *frustulatum* 797, 798; var **subpileatum** 797; var *subpileatum* 798; *gausapatum* 795, 796; *hirsutum* 793-798; *illudens* 797, 798; *lobatum* 794; *macrocystidium* 797, 798; *ochraceoflavum* 792; *ostrea* 794-798, 1067; *princeps* 793, 797; *radiatofissum* 797; *rugosum* 796, 797; *sanguinolentum* 791, 794, 797, 798, 1067; *spectabilis* 797, 798; *striatum* 791-793, 796, 1067; var **ochraceoflavum** 797; var *striatum* 797; *styracifluum* 795-797; *subpileatum* 793, 794; *subtomentosum* 795, 796; *sulcatum* 790; *sulphuratum* 793, 797; *taxodii* 790; *traplanum* 793, 797; *vellereum* 793, 797; *versicolor* 795-797
Stilbella 1067; *aurifilum* 1067; *thermophila* 677, 678
Stomiopeltis 656; *pinastri* f 653, f 654, 656; *polyloculatis* 656; **torulosa** 652-657, f 653, f 654, f 655
Streptococcus hemolyticus 1233
Streptotheca 118; *psychrophila* 119
Streptotinia 164; *arisaemae* 164
Strobilurus 370-379; **albipilatus** 371, 377; *conigenoides* 371, f 373, 378, 379; *conigenus* 370; *esculentus* 370, 372, 375; **kemptonae** 371, 372, f 373, 378; *lignitilis* 371, f 373, 375-379; **occidentalis** 371, 372, f 373, 375-377; *tenacellus* 370, 377; **wyomingensis** 371, 378, 379
Stromatinia 158, 165, 1084-1086; *rapulum* 165
Stropharia 1067
Suillus 1130; *bovinus* 1149; *decipiens* 1067
Syncephalastrum racemosum 287
Syzygites megalocarpus 907, 908
Talaromyces emersonii 541-545; *spiculiporus* 196; *thermophilus* 541, 543, 676, 677
Tarzetta 158, 165, 166, 1084-1086; *cupularis* 1085; *rapulum* 165
Teichospora 1180; subg *Capnodium* 1180; subg *Eu-Teichospora* 1180; subg *Limacinula* 1180; subg *Teichosporina* 1180
Tephrosticta 1180; *ficina* 1197, 1200
Tetranacrium gramineum f 252
Thailandia candida 197, 198
Thamnidium elegans 907, 908
Thanatephorus sterigmaticus 808
Theissenia 864
Thelebolus 118-131, f 126; *crustaceus* 125; *psychrophila* 119; *stercorus* 123, 125-128
Thelephora frustulata 797; *ochraceo-flava* 797; *typhae* 953
Thermoascus aurantiacus 541-545, 676, 677
Thielavia thermophila 676, 677
Thermoascus crustaceus 195
Thindia 98-102, 103; **cupressi** f 99, f 100, 102
Thraustochytrium 786
Tilletia caries 144-156, f 145, f 147, f 148, f 149, f 150, f 151, f 152, f 153; *controversa* 154
Torpedospora radiata f 837, 839, 844, 845, 855
Trechispora 430; *brinkmannii* 1067
Trematosphaeria 251; *fallax* 251, 253, f 253; *mangrovii* 253
Tremella 920; *fuciformis* 920-924
Triadelphia 247, 249; **heterospora** 247, f 248, 249
Trichia 409; *squamulosa* 493; *tigrina* 495
Trichobolus 123; *zukaii* 123
Trichocladium 245; **achrasporum** 244, f 244, 245
Tricholoma semivestitum 341
Trichomerium 1204
Trichosporon 609, 610
Trichothecium 421
Trybliella hystera 1065
Torula thermophila 677
Tuber 317; *gardneri* 322, 323; *murinum* 322, 323; *puberulum* 323
Tubeufia cerea 1065
Tubulicium 938, 939, 940; *dussii* 943; *vermiferum* 954
Tubulicrinis 939, 950; *calothrix* 1066, 1067; *vermicularis* 943; *vermifera* 954
Tubulixenasma 938, 939, 940; *dussii* 943; *vermiferum* 954

- Tulasnella albida 1067
 Tympanis 3
 Tyromyces 42; balsameus 45; palustris 45; semipileatus 1067; undosus 732
 Ulocladium 381, 384, 1087
 Uromyces 1090; andropogonis 1067; cestri 689-693; euphorbiae 1067; fusisporus 1090, 1091; hedysari-paniculatae 1067; spermacoces 1067
 Uromycladium 1090, 1091; **fusisporum** 1091
 Ustilago 94; maydis 94-97, f 95
 Ustilina 456
 Vakrabeeja 380
 Vanbeverwijkia 249; spirospora 249, f 250, 251
 Varicosporina 854; ramulosa 839, 853-856
 Vascellum 1226, 1227; pratense 1226-1230; pratense ssp subpratense 1226; subpratense 1226
 Velutaria 162
 Veluticeps 790
 Verpatinia 166; calthicola 166
 Verticillium 1067; albo-atrum 710, 711
 Vertixore 1188; atronitidum 1188, 1189
 Vestergeria 1029; micheliae 1026
 Waldemaria pernambucensis 196, 197
 Xenasma 937-950; dussii 943; macrosporum 949; vermiferum 954, 955
 Xenomeris 573; abietis 567-574, f 568, f 569, f 571
 Xerocomus coniferarum 114; spadiceus 114; subtomentosus 114
 Xeromphalina 336
 Xerulina chrysopepla 1067
 Xylaria ianthino-velutina 1065; tentaculata 456
 Xylobolus 790-792; frustulatus 1067
 Xylospora ianthino-velutina 1065; persicaria 1065
 Zalerion varium f 852, 854-855
 Zignoella 1065
 Zukalia 1189; heteromeles 1187, 1189
 Zukaliopsis 1180; javanica 1191; paulensis 1202
 Zygorhizidium willei 91
 Zygorhynchus 288; moelleri 287, 907, 908

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

- Abies
 Ceratocystis distorta 10
 Hericium abietis 1104
 Lentinellus montanus 363; omphalodes 339; ursinus 355
 Merulius atropurpureus 803
 Xenomeris abietis 567
 Acacia
 Epithele sulphurea 951
 Merulius pelliculosus 812
 Uromyces fusisporus 1090
 Acer
 Codinaea gonytrichodes 247
 Lentinellus omphalodes 339; ursinus 355
 Nummularia repanda 871
 Achlya
 Rhizidiomyces apophysatus 84
 Achras
 Phaeopectis sapotae 1199
 Adiantum
 Naetrocymbe inspersum 1203
 Agropyron
 Platyspora pentamera 669
 Allium
 Embellisia allii 382
 Alnus
 Lentinellus flabelliformis 359; omphalodes 339
 Merulius rubicundus 815
 Alpina
 Chaetothyrium javanicum 1204
 Althaea
 Endemosarca hypsalixis 878
 Amelanchier
 Nummularia discincola 867
 Andira
 Chaetothyrium domingense 898; permixtum 898
 Geastrum polystigmatis 901
 Polystigma pusillum 898
 Andropogon
 Leptosphaeria 1065; michotii 1065
 Puccinia ellisiana 1066; eucomis 689
 Uromyces andropogonis 1067
 Antidesma
 Epithele vermifera 954
 Arctostaphylos
 Lentinellus flabelliformis 359

- Argemone
 Aecidium plenum 890
 Puccinia subnitens 890
 Aronia
 Nummularia discincola 867
 Asterina
 Eriocercospora balladynae 691
 Avicennia
 Leptosphaeria avicenniae 838
 Macrophoma 850
 Mycosphaerella pneumatophorae 843
 Rhabdospora avicenniae 851, 853
 Zalerion varium 854
 Balladyna
 Eriocercospora balladynae 691
 Baphia
 Puccinia baphiae 1090
 Bauhinia
 Echinostelium 1051; *lunatum* 1053
 Beilschmiedia
 Epithele fulva 946
 Beta
 Cercospora beticola 640
 Betula
 Lentinellus cochleatus 345
 Lentinellus flabelliformis 359; *pilati* 365; *vulpinus* 350
 Strobilurus lignitilis 377
 Nummularia discincola 867
 Bougainvillea
 Naetrocymbe inspersum 1203
 Callicarpa
 Mycena 1066
 Calluna
 Epithele vermifera 954
 Capsella
 Puccinia subnitens 790
 Carex
 Puccinia caricina 1066
 Carpinus
 Gloiosphaera globuligera 890
 Stereum striatum 793
 Carya
 Codinaea gonytrichodes 247
 Nummularia discincola 867
 Cassia
 Hyalotia lateripes 666
 Castanea
 Lentinellus cochleatus 345
 Castanopsis
 Coccodiscus quercicola 1026
 Cecropia
 Endemosarca ubatubensis 878
 Celtis
 Nummularia signata 875
 Cercis
 Nummularia discincola 867
 Cercospora
 Cladosporiella cercosporicola 689
 Cestrum
 Cercospora cestri 691; *cestri-parqui* 691
 Uromyces cestri 689, 693
 Chamaecyparis
 Cyanodiscus occidentalis 1083
 Chasmanthium
 Epipolaeum 1065
 Chytridium
 Rozella marina 83
 Chytriomycetes
 Septosperma anomala 91; *rhizophidii* 92
 Cibotium
 Epithele dussii 945; *hydroides* 947; *vermifera* 954
 Cicer
 Ascotricha lusitanica 915
 Citharexylum
 Epithele vermifera 954
 Citrus
 Endogone mosseae 1222
 Cleome
 Puccinia subnitens 790
 Cocos
 Chaetothyrium heteromeles 1189
 Epithele vermifera 954
 Phaeosaccardinula guajavae var *citrina* 1195
 Remispora salina 844
 Torpedospora radiata 845
 Coscinodiscus
 Lagenisma coscinodisci 173
 Costus
 Geastrumia polystigmatis 901
 Crataegus
 Gymnosporangium floriforme 1066
 Croton
 Phakopsora crotonii 1066
 Ctenicera (animal)
 Metarrhizium anisopliae 707, 715
 Cupania
 Limacinula samoensis 1193
 Cupressus
 Thindia cupressi 102
 Cymodocea
 Lulworthia 840, 856
 Cynodon
 Helminthosporium cynodontis 548
 Cyperus
 Deslandesia javanica var *cyperi* 1193
 Setella coracina 1203
 Cystopteris
 Hyalospora polypodii 277
 Dasylirion
 Puccinia sporoboli var *robusta* 889
 Daucus
 Embellisia chlamydospora 386

- Desmodium
 Uromyces hedysari-paniculatae 1067
 Diatrype
 Hypoxylon investiens 1065
 Tubeufia cerea 1065
 Diodia
 Cercospora diodiae 1067
 Uromyces spermacoces 1067
 Distichlis
 Puccinia subnitens 889
 Elaeis
 Epithele interrupta 949
 Elephantopus
 Coleosporium elephantopodus 1066
 Elymus
 Phyllachora graminis 691
 Erica
 Epithele vermifera 954
 Eucalyptus
 Merulius albostramineus 801
 Eugenia
 Epithele vermifera 954
 Euphorbia
 Melampsora euphorbiae 1019
 Uromyces euphorbiae 1067
 Fagus
 Hypoxylon stygium 1065
 Lentinellus cochleatus 345; *omphalodes* 339; *pilati* 365; *ursinus* 355
 Merulius aurantiacus 803
 Festuca
 Isaria 956
 Fraxinus
 Lentinellus cochleatus 345
 Nummularia broomeiana 873
 Fuchsia
 Epithele fulva 946
 Fucus
 Corollospora pulchella 256
 Fuligo
 Verticillium 1067
 Gaultheria
 Epithele vermifera 954
 Gleditsia
 Nummularia discincola 867; *signata* 875
 Helvella
 Hypomyces cervinus 417
 Mycogone cervina 417, 418, 420
 Heteromeles
 Meliolopsis heteromeles 1188
 Heterotheca
 Puccinia cyperi 1066
 Hymenocardia
 Gastrumia polystigmatis 901
 Hypolithus (animal)
 Metarrhizium anisopliae 702, 715
 Hypoxylon
 Melanoma 1065
 Orbilia leucostigma 1065
 Sporodesmium ascendens 1067
 Zignoella 1065
 Ilex
 Badhamia nitens 1064
 Cienkowskia reticulata 1064
 Comatricha 1064; *elegans* 1064; *fimbriata* 1064; *laxa* 1064; *typhoides* 1064
 Craterium leucocephalum 1064; *paraguayense* 1064
 Diachea radiata 1064
 Didymium serpula 1064; *trachysporum* 1065
 Hypoxylon punctulatum 1065; *rubiginosum* 1065
 Macbrideola scintillans 1065
 Physarum bogoriense 1065; *braunianum* 1065
 Trybliidiella hysterina 1065
 Inga
 Limacinula tenuis 1199
 Ipomoea
 Albugo ipomoeae-panduranae 1065
 Isaria
 Myxotrichum brunneum 201
 Juglans
 Merulius phlebioides 812
 Nummularia repanda 871
 Juniperus
 Comatricha solitaria 1064
 Daedalea juniperina 1066
 Gymnosporangium floriforme 1066
 Licea minima 1065
 Macbrideola cornea 1065
 Physarum auriscalpium 1065
 Kochia
 Puccinia subnitens 890
 Larix
 Fomes cajanderi 723
 Leea
 Phyllachora 1025; *leea-elatae* 1025; *leeae* 1025; *leeaicola* 1025
 Linum
 Melampsora lini 1021
 Liquidambar
 Aleurodiscus 1066
 Rhodosticta quercina 1067
 Stereum complicatum 1067
 Xylosphaera persicaria 1065
 Liriodendron
 Codinaea gonytrichodes 247
 Merulius interruptus 810
 Lithocarpus
 Coccodiscus quercicola 1026

- Livistonia
 Epithele vermicifera 954
 Lunaria
 Puccinia subnitens 890
 Magnolia
 Hymenochaete corrugata 1066
 Hypoxylon serpens var *effusum* 1065
 Nummularia broomeiana 873; *dis-*
 cincola 867
 Pseudohiatula conigenoides 1066
 Stereum 1067
 Strobilurus conigenoides 378
 Xylaria ianthino-velutina 1065
 Mallotus
 Limacinula malloti 1200
 Malus
 Nummularia discincola 867
 Mangifera
 Corollospora pulchella 255
 Nummularia broomeiana 873
 Mesocarpus
 Pythium tenue 519
 Metrosideros
 Epithele vermicifera 954
 Michelia
 Phyllachorella micheliae 1028
 Miconia
 Nectrocymbe diospyri 1193
 Micromyces
 Septosperma anomala 91
 Mimosa
 Cylindrosporium 1067
 Monnieria
 Nectrocymbe inspersum 1204
 Nolina
 Puccinia sporobili var *robusta* 889
 Nothofagus
 Epithele fulva 946
 Merulius nothofagi 812
 Nothopanax
 Epithele fulva 946
 Odontia
 Nectria lactea 1065
 Orthezia
 Nectrocymbe inspersum 1203, 1204
 Pachira
 Lignincola laevis 838
 Lulworthia grandispora 839, 840
 Macrophoma 850
 Panicum
 Bipolaris rostrata 1067
 Cercospora fusimaculans 1067
 Curvularia protuberata 1067
 Epipolaeum erispheoides 1065
 Metasphaeria punctulata 1065
 Panus
 Gliocladium 1067
 Paspalum
 Phyllachora graminis 1065
 Puccinia substriata var *substriata*
 1066
 Pelargonium
 Puccinia pelargonii-zonalis 1020
 Persea
 Phyllachora perseae 562
 Pseudomassaria carolinensis 564
 Phlyctidium
 Septosperma anomala 91
 Phoenix
 Epithele capitata 942
 Photinia
 Cenococcum graniforme 1212
 Phyllachora
 Elletevera parasitica 691
 Picea
 Ceratocystis distorta 10; *gossypina*
 13; *sparsa* 14
 Fomes cajanderi 723, 724
 Lentinellus montanus 363; *ompha-*
 lodes 339
 Merulius fusisporus 807
 Pestalotia thujicola 667
 Strobilurus occidentalis 374
 Pinus
 Beltraniella portoricensis 566
 Ceratocystis distorta 10; *gossypina*
 12; var *robusta* 13; *olivaceapini* 8
 Comatricha elegans 1064
 Coniochaeta 1065
 Dacrymyces abietinus 1066
 Echinostelium minutum 1065
 Fomes cajanderi 723, 724
 Gloeophyllum sepiarium 1066
 Haligena viscidula 257
 Hirschioporus abietinus 1066
 Lentinellus montanus 363; *ursinus*
 355
 Marasmius 1066
 Merulius ambiguus 220; *glaucus*
 808
 Poria radiculosa 1066
 Stomiopeltis torulosa 653
 Tyromyces semipileatus 1067
 Pistacia
 Hyalotia pistacina 663
 Polyporus
 Stilbella 1067
 Populus
 Fomes roseus 724
 Lentinellus flabelliformis 359; *vul-*
 pinus 350
 Prosopis
 Ravenelia holwayi 1066
 Prunus
 Fomes cajanderi 723
 Pseudotsuga
 Aurisclapium vulgare 1103
 Fomes cajanderi 723

- Hericium abietis* 1104
Strobilurus kemptonae 371
Xenomeris abietis 567
Psidium
Nactrocymbe diospyri 1193
Puccinia
Cladosporiella uredinicola 689
Stenospora uredinicola 691
Pyrus
Nummularia discincola 867
Quercus
Coccoidea quercicola 1026
Daedalea quercina 1066
Endothia gyrosa 1065
Hydnoporia fuscescens 1066
Hymenochaete rubiginosa 1066
Hypoxylon microplacum 1065
Lentinellus ursinus 355
Leptographium 7
Merulius ceracellus 224; *pallens* 228
Nummularia broomeiana 873; *repanda* 871; *signata* 875
Stereum 1067; *complicatum* 1067
Raphanus
Puccinia subnitens 890
Rhacomitrium
Pythium 534; *echinulatum* 528; *torulosum* 526
Rhizidium
Septosperma rhizophidii 91
Rhizidiomyces
Septosperma rhizophidii 84, 91
Rhizophlyctis
Septosperma rhizophidii 91
Rhizophora
Cytospora rhizophorae 848
Didymosphaeria enalia 833
Keissleriella blepharospora 835
Kymadiscus haliotrephus 837
Lignicola laevis 838
Leptosphaeria australiensis 838
Lulworthia grandispora 840
Macrophoma 850
Manglicola guatemalensis 841
Nia vibrissa 845, 847
Periconia prolifica 850
Phoma 851; *rhizophorae* 851
Remispora cucullata 844
Trematosphaeria mangrovii 253
Rhizophydium
Olpidiopsis paradoxus 83
Septosperma anomala 91; *rhizophidii* 83, 91
Rhizopogon
Sepedonium chrysospermum 330
Rhopalostylis
Epithele nikau 950
Ruellia
Puccinia ruelliae 1066
Saccharum
Cercospora koepkei 689
Salix
Merulius phlebioides 812
Sansevieria
Puccinia sporoboli var. *robusta* 889
Sargassum
Lindra 840
Scirpus
Cladosporiella uredinis 689
Simulium (animal)
Pennella simulii 910, 911
Smilacina
Puccinia sporoboli var. *robusta* 889
Smilax
Puccinia kraussiana 691
Sorbus
Nummularia discincola 867; *repanda* 871
Sorghum
Sphacelotheca cruenta 1067
Spartina
Haligena spartinae 259
Nia vibrissa 845, 847
Phoma 851
Spinacia
Puccinia subnitens 890
Spirogyra
Pythium angustatum 518; *aplerotum* 518; *dictyosporum* 518; *gracile* 518; *tenuis* 519
Sporobolus
Balsania epichloe 1065
Bipolaris ravenelii 1067
Helminthosporium ravenelii 1067
Stereum
Herpotrichiella spinifera 1065
Piptocephalis 1065
Stilbella aurifilum 1067
Suillus
Sepedonium brunneum 1067
Tamarix
Clavariopsis bulbosa 256
Thalassia
Lindra marinera 839; *thalassiae* 839
Varicosporina ramulosa 853
Thea
Trichomerium 1204
Thuja
Fomes cajanderi 723
Pestalotia thujicola 667
Tilia
Merulius haedinus 225
Tremella
Ceratocystis epigloeum 921
Triticum
Platyspora pentamera 669
Tropaeolum
Puccinia subnitens 890

- Tsuga*
 Lentinellus ursinus 355
 Xenomeris abietis 567
 Merulius bellus 223
Tubulicrinis
 Platyglöea 1066
Typha
 Epithele typhae 953

Ulmus
 Cylindrosporium tenuisporum 1067
 Lentinellus vulpinus 350
 Nummularia discincola 867; re-
 panda 871; signata 875
Umbellularia
 Asterina anomala 1188
Uniola
 Epipolaeum erysipheoides 1065

 Vaccinium
 Lentinellus omphalodes 339
 Vaucheria
 Pythium tenue 519
 Vismia
 Naetrocymbe mauritiae 1203
 Vitex
 Epithele vermifera 954

 Weinmannia
 Epithele fulva 946
 Xylopiä
 Naetrocymbe inspersum 1203

 Yucca
 Puccinia sporoboli var *robusta* 889

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LXIII, 1971

CONSISTING OF 1284 PAGES,
INCLUDING FIGURES

TABLE OF CONTENTS

No. 1. January-February

James Walton Groves (1906-1970), R. A. SHOEMAKER	1
New species of <i>Ceratocystis</i> , ROSS W. DAVIDSON	5
A laboratory method to obtain fruit from cased grain spawn of the cultivated mushroom, <i>Agaricus bisporus</i> , JAMES P. SAN ANTONIO	16
Some observations on the sexual behavior of the progeny of six isolates of <i>Dictyuchus monosporus</i> , WILLIAM A. SHERWOOD	22
Effects of temperature and pH on growth and composition of <i>Pythium irregulare</i> and <i>Pythium vexans</i> , H. F. CANTRELL AND W. M. DOWLER	31
The nucleotide composition of deoxyribonucleic acid of some species of <i>Hymenochaetaceae</i> and <i>Polyporaceae</i> , ROGER STORCK, MILDRED K. NOBLES, AND CONSTANTINE J. ALEXOPOULOS	38
<i>Aspergillus longivesica</i> , a new species from Nigerian soil, L. H. HUANG AND K. B. RAPER	50
Meiosis in the Oömycetes: II. A microspectrophotometric analysis of DNA in <i>Apodachlya brachynema</i> , KENNETH L. HOWARD AND TRUMAN R. BRYANT	58
Basidiocarp development in <i>Polyporus adustus</i> , LORENE L. KENNEDY AND RICHARD J. LARCADE	69
A new species of <i>Lepiota</i> , WALTER J. SUNDBERG	79
Studies on mycoparasitic chytrids. I. The genus <i>Septosperma</i> , ROLAND L. SEYMOUR	83
Cytoplasmic and nuclear control of an interstrain interaction in <i>Ustilago maydis</i> , SANDRA L. ANAGNOSTAKIS	94
<i>Thindia</i> , a new genus of the <i>Sarcoscyphineae</i> (Pezizales), RICHARD P. KORF AND K. S. WARAITCH	98
The septal pore and other ultrastructural features of the pyrenomycete <i>Sordaria fimicola</i> , João S. FURTADO	104
A previously unrecognized southern species of <i>Boletus</i> , LARRY F. GRAND AND ALEXANDER H. SMITH	114
Studies in the genus <i>Thelebolus</i> : Temperature optima for growth and ascocarp development, DONALD WICKLOW AND DAVID MALLOCH	118
Ultrastructural studies of protostelids: The fruiting stage of <i>Cavostelium bisporum</i> , João S. FURTADO, LINDSAY S. OLIVE, AND SAMUEL B. JONES	132
Ultrastructural investigations of dormant <i>Tilletia caries</i> teliospores, J. V. ALLEN, W. M. HESS, AND D. J. WEBER	144
<i>Sclerotiniaceae</i> I. Generic nomenclature, K. P. DUMONT AND RICHARD P. KORF	157
Brief Articles	
SCHOULTIES AND YANG on electronic particle counting of zoospores of <i>Aphanomyces euteiches</i>	169
GOTELLI on <i>Lagenisma coscinodisci</i> a parasite of <i>Coscinodiscus</i>	171
KURUP AND SCHMITT on isolation of <i>Nocardia</i> from soil	175

COMBS ET AL. on yeasts isolated from Long Island Sound	178
CHILDS ET AL. on differentiation in <i>Aspergillus flavus</i>	181
Reviews	185

No. 2. March-April

Notes on Gymnoascaceae. I. A review of eight species, G. F. ORR AND H. H. KUEHN	191
The structure of the ascus apex in <i>Sordaria fimicola</i> , F. BRENT REEVES	204
<i>Listeromyces insignis</i> refound, R. D. GOOS	213
The genus <i>Merulius</i> IV. Species proposed by Berkeley, by Berkeley and Curtis, and by Berkeley and Broome, JAMES H. GINNS	219
Fungi of the Chesapeake Bay and its tributaries. 1. Patuxent River, CAROL A. SHEARER AND J. L. CRANE	237
California boletes. IV. The genus <i>Leccinum</i> , H. D. THIERS	261
Selected aspects of the biology of <i>Hyalopora polypodii</i> on <i>Cystopteris fragilis</i> , MICHAEL R. MCGINNIS	277
Some Phycomycetes indigenous to soils of old growth forests, F. F. HENDRIX, JR., W. A. CAMPBELL, AND C. Y. CHIEN	283
Uptake of ¹⁴ C-labelled succinate, L(+)-dihydroxysuccinate, L-monohydroxysuccinate, citrate, α -ketoglutarate, and D-glucose by washed mycelium of <i>Claviceps purpurea</i> , WILLARD A. TABER	290
Synaptonemal complexes and meiosis in <i>Didymium iridis</i> : a reinvestigation, HENRY C. ALDRICH AND GEORGE CARROLL	308
Notes on some hypogeous fungi from Mexico, JAMES M. TRAPPE AND GASTÓN GUZMÁN	317
The genus <i>Lentinellus</i> , ORSON K. MILLER, JR., AND LINNEA STEWART	333
Studies on the fleshy fungi of Alaska. V. The genus <i>Strobilurus</i> with notes on extralimital species, VIRGINIA L. WELLS AND PHYLLIS E. KEMPTON	370
<i>Helminthosporium allii</i> as type of a new genus, EMORY G. SIMMONS	380
Systematics of the genera <i>Ceratocystis</i> and <i>Graphium</i> . Proton magnetic resonance spectra of the mannose-containing polysaccharides as an aid in classification, J. F. T. SPENCER AND P. A. J. GORIN	387
Brief Articles	
PARK AND MOORE on a new ectomycorrhizal symbiont	403
KELLER AND REYNOLDS on a new <i>Perichaena</i> with reticulate spores	405
CHIEN on <i>Linderina macrospora</i>	410
FURTADO AND OLIVE on meiosis in <i>Ceratiomyxa fruticulosa</i>	413
ROGERSON AND SIMMS on a new species of <i>Hypomyces</i> on <i>Helvella</i>	416
CULBERSON AND CULBERSON on chemistry of some species of <i>Diploschistes</i>	422
FERGUS on a new thermophilic <i>Papulaspora</i> from mushroom compost ..	426
MCVEIGH AND EVANS on the yeast-cell phase of <i>Histoplasma capsulatum</i>	432
Reviews	435

No. 3. May-June

Laboratory culture and ascocarp development of <i>Podosordaria leporina</i> , ROBERT D. KOEHN	441
---	-----

TABLE OF CONTENTS

v

A case report of <i>Norcardia asteroides</i> of the eye, BADI' A. BATSHON, OTTO C. BROSIUS, AND JOHN C. SNYDER	459
Chlamydospore induction in pure culture in <i>Fusarium solani</i> , VINCENT W. COCHRANE AND JEAN CONN COCHRANE	462
A new pathogenic species of <i>Aspergillus</i> , K. J. KWON-CHUNG AND D. I. FENNELL	478
The Genus <i>Lepidoderma</i> , DONALD T. KOWALSKI	490
Aquatic fungi of Iceland: <i>Pythium</i> , T. W. JOHNSON, JR.	517
Isolation of thermophilic fungi from self-heated, industrial wood chip piles, MICHAEL R. TANSEY	537
Zinc effects on growth and cynodontin production of <i>Helminthosporium cynodontis</i> , JAMES P. WHITE AND GEORGE T. JOHNSON	548
A new species of <i>Pseudomassaria</i> and its <i>Beltraniella</i> conidial state, C. S. HODGES AND MARGARET E. BARR	562
<i>Xenomeris abietis</i> associated with dieback of Douglas fir and western hemlock, A. FUNK AND R. A. SHOEMAKER	567
<i>Gliocephalotrichum</i> , new combinations and a new species, B. J. WILEY AND E. G. SIMMONS	575
An ultrastructural study of spore germination in the myxomycete <i>Arcyria cinerea</i> , CHARLES W. MIMS	586
A new dimorphic fungus, <i>Oidiodendron kalrai</i> : morphological and biochemical characteristics, R. P. TEWARI AND C. R. MACPHERSON	602
Production of ascospores by <i>Piedraia hortai</i> in vitro, M. TAKASHIO AND R. VANBREUSEGHEM	612
Limited growth in fungi, DAVID GOTTLIEB	619
Brief Articles	
MILLER on evidence of sexuality in <i>Agaricus bisporus</i>	630
FARR on two undescribed Myxomycetes from Argentina	634
RUPEL on longevity of <i>Cercospora beticola</i> conidia	640
CAPPELLINI AND PETERSON on macrospore germination in <i>Gibberella zeae</i>	641
MAYNE ET AL. on aflatoxin production by <i>Aspergillus parasiticus</i>	644
ELLIOTT AND RICHARD on a new species of <i>Martininia</i>	648
FARR on a new species of <i>Stomiopeltis</i> from Brazil	652
KELLER AND BROOKS on a new species of <i>Perichaena</i>	657
MAAS on <i>Hyalotia pistacina</i> and <i>Pestalotia thujae</i>	663
HOSFORD on <i>Platyspora pentamera</i> in the Great Plains on wheat	668
BRAUN on germination of <i>Fuligo septica</i> spores	669
WOLF on an unusual occurrence of "Fairy Rings"	671
SCHENCK AND HINSON on endotrophic vesicular-arbuscular mycorrhizae	672
FERGUS AND AMELUNG on heat resistance of some thermophilic fungi ..	675
HOWARD on oöspore types in the Saprolegniaceae	679
DICK on oöspore structure in <i>Aphanomyces</i>	686
POLLACK on <i>Cercospora uromycestri</i> on <i>Cestrum diurnum</i>	689
Reviews	694
No. 4. July-August	
Ivar Jørstad 1887-1967, H. RØED	697
Heterokaryosis in the entomogenous fungus, <i>Metarrhizium anisopliae</i> , R. D. TINLINE AND C. NOVIELLO	701

Nuclear distribution in <i>Metarrhizium anisopliae</i> , R. D. TINLINE	713
Some aspects of bipolar heterothallism in <i>Fomes cajanderi</i> , K. SIEGLINDE NEUHAUSER AND R. L. GILBERTSON	722
Extracellular production of indolics by the fungus <i>Cyathus</i> , B. J. JOHRI AND H. J. BRODIE	736
Ultrastructure of quiescent and germinated basidiospores and oidia of <i>Copri- nus lagopus</i> , G. E. HEINTZ AND D. J. NIEDERPRUEM	745
Ultrastructure of <i>Harpochytrium hedinii</i> , LINDA B. TRAVLAND AND HOWARD C. WHISLER	767
An essay on Stereum, A. L. WELDEN	790
The genus <i>Merulius</i> V. Taxa proposed by Bresadola, Bourdot & Galzin, Hennings, Rick, and others, JAMES H. GINNS	800
Induction of protoplasts of <i>Schizosaccharomyces octosporus</i> by magnesium sulfate and 2-deoxy-D-glucose, MARTHA D. BERLINER	819
A new species of <i>Mortierella</i> from North Carolina, CHIU-YUAN CHIEN ...	826
Marine fungi from tropical America and Africa, JAN AND ERIKA KOHL- MEYER	831
North American species of <i>Nummularia</i> , SHUNG C. JONG AND CHESTER R. BENJAMIN	862
<i>Endemosarca</i> : a new genus with proteomyxid affinities, GREGORY W. ERDOS AND LINDSAY S. OLIVE	877
A new species of <i>Boletus</i> , section <i>Luridi</i> , from North Carolina, LARRY F. GRAND AND ALEXANDER H. SMITH	884
Brief Articles	
BAXTER on life studies of two North American grass rusts	889
WANG on <i>Gloiosphaera cleriana</i> from New York State	890
DRING ET AL. on <i>Clathrus oahuensis</i> , a new species from Hawaii	893
PIROZYNSKI on <i>Gastrumia polystigmatis</i>	897
KONIJN AND KOEVENIG on chemotaxis in <i>Myxomycetes</i>	901
GLEASON on alcohol dehydrogenase in <i>Mucorales</i>	906
WILLIAMS AND LICHTWARDT on a new <i>Pennella</i> (<i>Trichomycetes</i>)	910
KENNETH on a new species of <i>Ascotricha</i>	915
GUERRERO on the real nature of the "setae" in <i>Tremella fuciformis</i>	920
ALEXOPOULOS AND BROOKS on a new family of the <i>Echinosteliales</i>	925
Reviews	929
Notices	
First International Congress of Systematic and Evolutionary Biology ..	935

No. 5. September-October

The genus <i>Epithele</i> , DAISY T. BOQUIREN	937
Sexual reproduction in <i>Leptosphaeria avenaria</i> f. sp. <i>triticea</i> induced by wave lengths of light greater than 560 m μ , ROBERT O. HOGENSON AND ROBERT M. HOSFORD, JR.	958
Notes on the genus <i>Albatrellus</i> in Arizona, E. R. CANFIELD AND R. L. GILBERTSON	964
Germination of oospores produced by <i>Phytophthora megasperma</i> var. <i>sojae</i> , D. C. ERWIN AND W. H. McCORMICK	972

TABLE OF CONTENTS

vii

A new species of <i>Pythium</i> with spiny oogonia and large chlamydospores, F. F. HENDRIX, JR. AND W. A. CAMPBELL	978
New records of mushroom stones from Guatemala, B. LOWY	983
Two new <i>Hemiascomycetes</i> : <i>Pichia crossotarsi</i> and <i>P. microspora</i> , LEKH R. BATRA	994
Supportive evidence for postcleavage meiosis in <i>Physarum flavicomum</i> , WALLACE M. LESTOURGEON, CHARLES F. BOHNSTEDT, AND PHILIP THIMELL	1002
Two new <i>Saturn-spored</i> species of <i>Pichia</i> , L. J. WICKERHAM AND C. P. KURTZMAN	1013
Urediospore release in <i>Melampsora euphorbiae</i> , <i>M. lini</i> and <i>Puccinia pelar-</i> <i>gonii-zonalis</i> , S. M. PADY	1019
Leaf-inhabiting <i>Pyrenomycetes</i> of West Bengal (India), A. K. KAR AND M. K. MAITY	1024
Effects of nutrients, temperature and relative humidity on germination and longevity of the ascospores of <i>Chaetomium thermophile</i> var. <i>coprophile</i> , EMILIA M. CELERIN AND C. L. FERGUS	1030
A new species of <i>Coemansia</i> , CHIU-YUAN CHIEN	1046
A minute new <i>Echinostelium</i> with protostelid affinities, LINDSAY S. OLIVE AND CARMEN STOIANOVITCH	1051
Brief Articles	
COOKE on the 1967 foray in Texas	1063
HARRISON on <i>Dentinum</i> S. F. Gray or <i>Hydnum</i> L. ex Fries	1067
SMITH on observations on selected species of <i>Clavariadelphus</i>	1073
BRANDSBERG AND MORRIS on a new stilbellaceous fungus from Missouri soil	1076
MÜLLER AND FARR on a new genus of the <i>Schizothyriaceae</i>	1080
ROGERS ET AL. on <i>Stromatinia</i> , <i>Tarzetta</i> and <i>Pustulina</i>	1084
LEACH AND TULLOCH on <i>Pithomyces chartarum</i> from seed and fruit in Oregon	1086
SAVILLE on generic disposition and pycnium type in <i>Uredinales</i>	1089
Reviews	1092

No. 6. November-December

Pileate <i>Hydnaceae</i> of the Puget Sound Area. I. White-spored genera: <i>Auriscalpium</i> , <i>Hericium</i> , <i>Dentinum</i> and <i>Phellodon</i> , D. HALL AND D. E. STUNTZ	1099
The genus <i>Gomphidius</i> with a revised description of the <i>Gomphidiaceae</i> and a key to the genera, ORSON K. MILLER, JR.	1129
Studies on protoplast induction in the yeast phase of <i>Histoplasma capsu-</i> <i>latum</i> by magnesium sulfate and 2-deoxy-D-glucose, MARTHA D. BER- LINER AND MARIA E. RECA	1164
The sooty mold ascomycete genus <i>Limacinula</i> , DON R. REYNOLDS	1173
Brief Articles	
GRAND on tuberculate and <i>Cenococcum mycorrhizae</i> of <i>Photinia</i>	1210
FERGUS AND AMELUNG on a new thermotolerant species of <i>Chaetomium</i>	1212
SMITH on maintenance of fungal cultures	1218
MARX ET AL. on effect of endomycorrhizae on growth of citrus	1222
DEMOULIN on <i>Lycoperdon subpratense</i>	1226

NOLAN on amino acids and growth factors in vitamin-free casamino acids	1231
FARO on utilization of amino acids and carbohydrates by <i>Achyla</i>	1234
Reviews	1238
Notices	1250
Errata	1251
Mycologia—Financial Report	1252
Index to Volume 63	1253

